WATER WELL RECORD	Form WWC-5	,	Division of Wa	ater Resources; App. No.	
1 LOCATION OF WATER WELL:	Fraction		Section Number	1	Range Number
County: McPherson	564 NE 4 52	5 ½		T 2/S	R 3 EW
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of					
located within city?	of kningi	7	Latitude:		
2 WATER WELL OWNER: Phil Dierks			Longitude:		
RR#, St. Address, Box # : 22//4	Jierki *(A A		Elevation:	40 - 10	
City Chats ZID Code			Datum:		
Lyman	KS 675-46		Data Collection		
3 LOCATE WELL'S 4 DEPTH OF COMP LOCATION	LETED WELL,	<i>f.7.6</i>		ιτ.	
	Encountered (1)		ft (2)	ft (3)	ft.
SECTION BOX: WELL'S STATIC WATER LEVEL					
Pump test data: Well water was					
Est. Yieldgpm: Well water wasft. after hours pumpinggpm					
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
W Domestic 3 Fee	dlot 6 Oil field w	vater sup	ply 9 De	ewatering 12 Otl	her (Specify below)
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs					
Sample was submitted					
S					
5 TYPE OF CASING USED: 5 Wrought 1	Iron & Concre	ete tile	CASI	NG JOINTS: Glued	Clamped
1 Steel 3 RMP (SR) 6 Asbestos-	0 0 0 1 /		4 5	*** * * *	
2PVC 4 ABS 7 Fiberglass				Threaded	
Blank casing diameter in. to in. to	ft., Diameter	in	. to f	t., Diameter	in. toft.
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft. From 168 ft. to 205 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From.	It. to	1. 6. J	It., From	ft. to	ft.
riom	/ 11. 10		1t., From	It. to	It.
6 GROUT MATERIAL: 1 Neat cement 2	Cement grout Bento	onite 4	4 Other		
Grout Intervals: From3 ft. to	2.3 ft., From	f أ	t. to /.6.8.	. ft., From	ft. toft.
What is the nearest source of possible contaminat					
OSeptic tank 4 Lateral lines		Livesto			16 Other (specify
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit		Fuel sto		Abandoned water well Dil well/gas well	below)
Direction from well?	Ho	w many	feet? 1.0.0.7	L .	***************************************
FROM TO LITHOLOGIC		FROM	TO	PLUGGING INT	ERVALS
0 34 L Br Clay					
34 38 F Sand					
38 44 L ar Clay					
44 53 Silty Br Clar					
53 134 F-c Sand - 1igh	of gree				
139 136 1 Jand Sm 10	yers Br Clus	-			
156 163 C Sand - Cleur	+tun				
163 173 1 Tun Cluy	((()))				
173 195 Sand + Sm Grave	1-Clear + 1 a L	7			
	RTIFICATION: This	s water v	vell was (()) on	structed (2) reconstruct	ed or (3) plugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No. 44.7 This Water Well Record was completed on (mo/day/year) 6-16-09					
under the business name of $M'/(er)r''/(inq)$ by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in tunks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Burgay of Water, Goology Section, 1000 SW, Jackson St., Suite 420. Topoka, Kansas Change, 66612, 1367. Tolophore					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					