WATEI	R WEI	L RECORD	Form W	WC-5	Division of	Water Resources App. 1	47,940	
1 LOCATION OF WATER			Fraction		Section Numb			
County: McPHerson		1/4 Near1/4 Ctr	- 1/4 SW 1/4	23	T 21 S			
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
				Longitude: (in decimal degrees)				
					Elevation:			
2 WATER WELL OWNER: Milton Busenitz					Datum: WGS 84, NAD 83, NAD 27			
RR#, Street Address, Box #: 1631 Arrowhead Rd.					Collection Method: GPS unit (Make/Model:)			
			dridge, KS 6710	17	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
210),	, ~, _	i Moui	milage, no offi	Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 136 136 137 137 138 138 138 138 138 138 138 138 138 138								
SECTION BUX: Deptn(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVEL38ft. below land surface measured on mo/day/yr10/17/12							
Pump test data: Well water was						nping gpm		
	V N		0-1500pm. Well water was ft. after hours pumping gpm					
W			Bore Hole Diameter30					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify to Sweden)								
Was a chemical/bacteriological sample submitted to Department? Yes XX No							••••••	
	S		day/yr sample was sub					
	1 mile		fected? X Yes		***************************************			
7 TVDE	OFCA							
5 TYPE OF CASING USED: Steel N PVC Other Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter								
Casing height above land surface24								
Steel Stainless Steel VC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot 🔀 Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter								
SCREEN-PERFORATED INTERVALS: From 76 ft. to 136 ft., From ft. to ft.								
From								
From								
6 GROUT MATERIAL: Neat cement								
Grout Intervals: From3 ft. to30 ft., From ft. to ft., From ft., From ft. ft. to ft. what is the nearest source of possible contamination: None within 1/4 mile								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
	,	n well					MACORIO INTERPLIALO	
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO	J. LUG (cont.) <u>or</u> PL	UGGING INTERVALS	
0	4	Topsoil						
4	42	Clay, gray & yell						
42	68	Sand, fine to coa	rse, white				· · · · · · · · · · · · · · · · · · ·	
68 72	72 84	Clay, tan	reo ton					
84	86	Sand, fine to coa Clay, brown	roc, can	 				
86	103	Sand, fin to coar	For or	-				
103	103		oc, ieu	-				
		Clay, light gray	200	-				
105	132	Sand, fine to coa	TRE					
132 136 Clay, brown 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was xx constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)1.0/.1.7./12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No138 This Water Well Record was completed on ppo/play/year 10/25/12								
under the business name of Peterson Irrigation, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blu	ue, pink) t	Kansas Department of Health	and Environment, Bureau	of Water, Geolo	gy Section, 1000 S	W Jackson St., Suite 420	, Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								
KSA 82a-1212								
U/1 UZG-								