

1 LOCATION OF WATER WELL: County: <u>McPherson</u>		Fraction <u>SE</u> <u>1/4 SW 1/4 SW 1/4</u>	Section Number <u>24</u>	Township Number T <u>21</u> S	Range Number R <u>4</u> E/W
Distance and direction from nearest town or city street address of well if located within city? <u>2 1/2 mi. E, 2 S of Inman</u>					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		<u>Dennis Oester</u> <u>Rt 1</u> <u>Inman, KS 67546</u>			
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>104</u> ft. ELEVATION:			
Diagram labels: N, S, W, E, Mile scale.		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>29</u> ft. below land surface measured on mo/day/yr <u>5-24-89</u>			
		Pump test data: Well water was <u>39</u> ft. after <u>1</u> hours pumping <u>30</u> gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>9</u> in. to <u>10.6</u> ft., and in. to ft.			
		WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well <u>Pond w/m</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes..... No <u>X</u> ; If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped			
1 Steel 3 RMP (SR)		5 Wrought iron		8 Concrete tile	
<u>2</u> PVC 4 ABS		6 Asbestos-Cement		9 Other (specify below)	
		7 Fiberglass		Threaded.....	
Blank casing diameter <u>5</u> in. to <u>94</u> ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface <u>12</u> in., weight lbs./ft. Wall thickness or gauge No. <u>160</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7</u> PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel		5 Fiberglass		8 RMP (SR)	
2 Brass 4 Galvanized steel		6 Concrete tile		9 ABS	
				12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped		<u>8</u> Saw cut 11 None (open hole)	
1 Continuous slot 3 Mill slot		6 Wire wrapped		9 Drilled holes	
2 Louvered shutter 4 Key punched		7 Torch cut		10 Other (specify)	
SCREEN-PERFORATED INTERVALS:		From <u>94</u> ft. to <u>104</u> ft., From ft. to ft.			
		From ft. to ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From <u>23</u> ft. to <u>70</u> ft., From <u>75</u> ft. to <u>106</u> ft.			
		From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL:		<u>1</u> Neat cement 2 Cement grout <u>3</u> Bentonite 4 Other			
Grout Intervals: From <u>3</u> ft. to <u>23</u> ft., From <u>70</u> ft. to <u>75</u> ft., From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
<u>1</u> Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit		9 Feedyard		13 Insecticide storage	
Direction from well? <u>NE</u>		How many feet? <u>200</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	13	L Gr clay			
13	44	Br clay			
44	84	Gr clay			
84	95	Layers M Sand + Br clay			
95	106	G Sand - Sm Gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5-24-89</u> and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. <u>447</u>		This Water Well Record was completed on (mo/day/yr) <u>6-11-89</u>			
under the business name of <u>Miller Drilling</u>		by (signature) <u>Egan Miller</u>			