WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | | | number | Township number | Range number | |
|--|-----------|----------------|------|----------|--|--|---|--|
| 1. Location of well: | McPherson | NE 1/4 NW1/4 N | £1/4 | 24 | 4 | 1 2/5 s | RRYW AM | |
| 2. Distance and direction from nearest town or city: 2E, 15. Innan 3. Owner of well: | | | | | | im GUNN | ~ | |
| R.R. or street | | | | | eet: R.R. e, zip code: Inman, Ks | | | |
| 4. Locate with "X" in section below: Sketch map: | | | | | code: | 6. Bore hole dia. 2 in | . Completion date | |
| 4. Locate with "X" in section below: Sketch map: | | | | | | Well depth 141 ft. Sept 5- 8 | | |
| | | | | | | 7 Cable tool X Rotary Driven Dug | | |
| | | | | | | Hollow rod Jetted Bored Reverse rotary | | |
| i | | | | | | 8. Use: XDomestic Public supply Industry Irrigation Air conditioning Stock | | |
| | | | | | | Lawn Oil field water Other | | |
| | | | | | | 9. Casing: Material | Height: Above or below Surfacein. | |
| S | | | | | | RMP PVC | Weight1bs./ft. | |
| ı → 1 Mile → I | | | | | Dia in. to ft. dep Dia in. to ft. dep | | | |
| 5. Type and color of | material | | | From | То | 10. Screen: Manufacturer's | name | |
| TOP | Soil | | | 0 | 11 | Type PVC | | |
| (; | z³. | | | 2 | 1/ | Slot/gauze | Length | |
| Gray Clay | | | | | 14 | Set betweenft. | | |
| Fine Sand | | | | 6 | 21 | Gravel pack? 4 Size ro | ange of material <u>/ / / '</u> | |
| Brown, Sandy Clay | | | | 21 | 47 | 11. Static water level: 40 ft. below land su | mo./day/yr. rface Date <u>9/5/78</u> | |
| Med, to med. Course sand | | | | 17 | 89 | 12. Pumping level below lan | | |
| Brown Clay | | | | 39 | 110 | ft. after | hrs. pumpingg.p.m. | |
| Med. course sand + clay | | | | 10 | 136 | Estimated maximum yield 13. Water sample submitted: | | |
| Brown clay | | | | 36 | | Yes | Date | |
| 210WN Clay | | | | <u> </u> | , ,, | 14. Well head completion: Pitless adapter | 12 Inches above grade | |
| | <u> </u> | | | - | - | 15. Well grouted? | Bentonite Concrete | |
| | <u> </u> | | | | | With: Neat cement ft. to | Bentonite Concrete ft. | |
| | | | | | | 16 Negrest source of possible | e contamination: | |
| | | | | | | ft. 1000 Direction Well disinfected upon comple | | |
| | 1 | | | | | 17. Pump: | _ ∠ Not installed | |
| | | | | | | Manufacturer's name Model number | HP Volts | |
| | | | | | | | ft. capacityg.p.m. | |
| | | | | | | Type: Submersible | Turbine | |
| | ,, | h4:61 D | | | | Jet | Reciprocating Other | |
| (Use a second sheet if needed) 18. Elevation: 19. Remarks: | | | | | Centrifugal 20. Water well contractor's | | | |
| | | | | | | This well was drilled under n | ny jurisdiction and this report | |
| ੍ਰਿTopography: | | | | | | is true to the best of my know | wledge and belief. | |
| С нап | | | | | | Business name Box 150 | Lindsborg, Kans | |
| Slope Upland | | | | | | Address m ska P | Jonpon 19-30-18 | |
| | | | | | | Signed Authorized for | Date 7 | |