

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: McPherson		SE 1/4 SW 1/4 NE 1/4	33	T 21 S	R 4 NE
Distance and direction from nearest town or city street address of well if located within city? 3 miles south, 1 mile east and 1/2 mile south of Inman, KS.					
2 WATER WELL OWNER: Stan Ediger					
RR#, St. Address, Box # : R. R. #1			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : Inman, KS.			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 123 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1 81 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was 65 ft. after 2 hours pumping 2 gpm			
		Est. Yield 15 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 123 ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		XX 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No. XX ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes XX No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued XX ... Clamped
XX 2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
			7 Fiberglass		Threaded
Blank casing diameter 5 in. to 103 ft., Dia in. to ft.					
Casing height above land surface 12 in., weight 2.91 lbs./ft. Wall thickness or gauge No.265					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot XX		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 103 ft. to 123 ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 15 ft. to 123 ft., From ft. to ft.					
6 GROUT MATERIAL: XX 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From 5 ft. to 15 ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? South				13 Insecticide storage	
				How many feet? 100 ft	
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	4	Top soil			
4	8	Brown clay			
8	17	Silty gray clay			
17	56	Brown clay			
56	81	Gray clay			
81	103	Brown sandy clay			
103	120	Hard brown clay			
120	122	Brown sandy clay			
122	130	Green shale			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-6-82 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 10-6-82					
under the business name of Peterson Irrigation, Inc. by (signature) <i>Mike Peterson</i>					
INSTRUCTIONS: Use typewriter or ball point pen, <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					