

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: McPherson		NW 1/4 NE 1/4 NW 1/4	36	T 21 S	R 4
Distance and direction from nearest town or city street address of well if located within city?					
3 Mile South & 3 1/4 Mile East of Inman, Ks.					
2 WATER WELL OWNER: Albert Enns					
RR#, St. Address, Box #: R.R. 1			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: Inman, Ks. 67546			Application Number: #37,364		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 171 ft. ELEVATION:			
<div style="text-align: center;"><p>1 Mile</p><p>W E</p><p>S N</p></div>		Depth(s) Groundwater Encountered 1. 35 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 35 ft. below land surface measured on mo/day/yr 11-8-85			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 1200 gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 30 in. to 171 ft. and in. to ft.			
WELL WATER TO BE USED AS:					
5 Public water supply 8 Air conditioning 11 Injection well					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well					
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes X No					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped X					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
Blank casing diameter 16 in. to 119 ft. Dia. in. to ft. Dia. in. to ft.					
Casing height above land surface 12 in., weight 35 lbs./ft. Wall thickness or gauge No. 75					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes					
7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 119 ft. to 171 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 15 ft. to 171 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 5 ft. to 15 ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
Direction from well? WEST How many feet? 70 ft					
13 Insecticide storage DRAINAGE DITCH					
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG					
0 2 Top Soil					
2 18 Gray Clay					
18 25 Buff Clay					
25 42 Brown Clay					
42 66 Fine To Med. Sand					
66 94 Gray Clay					
94 105 Fine Sandy Clay					
105 123 Medium Sand					
123 135 Brown Clay					
135 159 Medium Equus Sands					
159 165 Brown Clay					
165 169 Fine Sand					
169 171 Gray Shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-8-85 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/yr) 11-12-85					
under the business name of Peterson Irrigation, Inc. by (signature) Mike Peterson					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					