MW-185

WATER WELL RE	CORD	F	Form WWC-5		Division of Wate	er Resources App. N	o. L	
1 LOCATION OF W	ATER WELL:	Fraction		ع ا م	ection Number	Township No.	Range Number	
County: McPhe.			EX SEX N		17	T 21 S	R 4 DE XW	
Street/Rural Address	of Well Location;	if unknown,	distance & direction	on G	lobal Positioning	g System (GPS) in	formation:	
from nearest town or	intersection: If at	owner's addr	ess, check here	7. I L	atitude: . 3.8. 2	2470	(in decimal degrees)	
70' west of Intersection South Main Street					Latitude: 38,22,470 (in decimal degrees) Longitude: 97,776,45 (in decimal degrees)			
+ Formington	0 /			E	levation:			
				r	atum: WGS 8	4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OV	VNER: USDA	- Steve C	ilmore		Collection Method:			
RR#, Street Address, Box #: Stop OSI3 Room 4714-5 City, State, ZIP Code : 1400 Independence Ave, 5w					GPS unit (Make/Model:)			
City, State, ZIP Code	: 1400 I	ndependen	ce nue, su		Digital Map/Ph	oto, 🗌 Topographic	Map, Land Survey	
	Washington	DC. 20	250-05/3	E	st. Accuracy: <	3 m, 🔲 3-5 m, 🔲	5-15 m, 🔲 >15 m	
3 LOCATE WELL	0			•				
WITH AN "X" IN			ed well					
SECTION BOX: Depth(s) Groundwater Encountered (1)								
NW NE	EST. YIELD	gpm. V	Vell water was		ft. after	hours pump	oing gpm	
W E	Bore Hole Diam	eter 8	in. to 5.2 .	ft., a	ndin.	to	ft.	
X -	WELL WATER	TO BE USE	DAS: D Public	water si	apply Ge	othermal 🔲 Ir	njection well	
SW SE	Domestic	☐ Feedlot	Oil field	water su	pply 🗌 De	watering C	ther (Specify below)	
3W 3E								
			al sample submitte					
S			was submitted					
mile	Water well disini							
TYPE OF CASING U	SED: Steel	PVC	Other					
CASING JOINTS:	Glued Clam	nped 📙 W	elded 📉 Threa	ided				
Casing diameter	in. to 40 .	ft., Dia	meter	in. to	ft., Di	ameter	in. to ft.	
Casing height above lar	id surface	? in.,	Weight	?lb	s./ft., Wall thic	kness or gauge No	3ch, 70	
TYPE OF SCREEN OR							•	
☐ Steel ☐ Stai	nless Steel	PVC	47 1.15	∐ Oth	er (Specify)			
	vanized Steel		a (open noie)					
SCREEN OR PERFORA Continuous slot			nned D Tereben		Deillad halan	None (open hole)		
☐ Continuous stor	Key punched	Wire wran	pped Dear cut	" 片	Other (specify))	
Louvered shutter SCREEN-PERFORATEI	TVILLEBAVI C. E	From 40	fr to	50 -	ft From	ft to	·····	
SOREBIN-1 EIG OIGHTEE	INTERVADE. I	From	ft to		ft From	ft to	ft	
GRAVEI PACK	T -SIAVIGATIAL	From 3.8	ft to	52	ft From	ft to) ft.) ft.	
ORA VED LACK) ft.	
GROUT MATERIAL:								
Frout Intervals: From	1 Neat Celliell	7 7 Cenne	in grout M Den	tollite	Outer	Erom	ft. toft.	
			, FIOIII	It. 10		F10III	16. 10	
What is the nearest source Septic tank	Lateral lines		Livestoc	le name	☐ Insecticide s	torage Other	(specify below)	
Sewer lines	Cesspool	Sewage!			Abandoned v		(specify below)	
☐ Watertight sewer lin								
Direction from well					well			
ROM TO	LITHOLOGIC		FROM	TO			GING INTERVALS	
	loy			1				
2 50 Wed	thend she	7		-	1		· · · · · · · · · · · · · · · · · · ·	
2 30 000	THEREA SAG	3/6		 	 			
				-				
				-				
				ļ				
CONTRACTOR'S OR I	ANDOWNER'S	CERTIFIC	ATION: This wa	ter well	was X construct	ted, reconstruct	ed, or nlugged	
CONTRACTOR'S OR I	as completed on (mo/dav/vear)	8/30/11	and this	record is true to t	he best of my kno	wledge and belief	
insas Water Well Contrac	tor's License No	597	This Water Well I	Record :	was completed or	(mo/day/year)	9/21/1/	
der the business name of	Boart Long	ytor C	ompany	hv ((signature)	- Was		
STRUCTIONS: Use typewrite	r or ball point nen. P	LEASE PRESS	FIRMLY and PRINT of	learly. Pl	ease fill in blanks an	d check the correct an	swers. Send three conies	
ite, blue, pink) to Kansas Dep	artment of Health and	l Environment, I	Bureau of Water, Geo.	logy Sect	ion, 1000 SW Jackso	on St., Suite 420, Top	eka, Kansas 66612-1367.	
ephone 785-296-5522. Send of	one copy to WATER	WELL OWNE	R and retain one for	your reco	ords. Include fee of	\$5.00 for each const	nucted well. Visit us at	
://www.kdheks.gov/waterwell/i	ndex.html.				harder [] tra	C	2	
82a-1212				C	neck: I I White	Conv. Blue (Conv Pink Conv	