WATER WELL RECO	ORD	Form	WWC-5	Division of V	Vater Resources App. N	0.
1 LOCATION OF WAT		action		Section Number	r Township No.	Range Number
County: McPherso		1/4 5W 1/4 1	NE 1/4 SE	4 17	T 21 S	R 4 DE RIV
Street/Rural Address of				Global Position	ning System (GPS) in 22235 7 78036	iformation:
from nearest town or inte	ersection: If at owner $\mathcal{L}\mathcal{L}$ at $\mathcal{L}\mathcal{L}$	er's address, ch	eck nere	Latitude:	7 78036	(in decimal degrees
1	017 0' AV	C SOUTH	parer	Elevation:		(in decimal degrees
Daire					S 84, 🔲 NAD 83, 🔲	NAD 27
2 WATER WELL OWN	ER: USDA - 51	eve Gilmo	111-5	Collection Metho	od:	
RR#, Street Address, Bo City, State, ZIP Code	X#: STOP OSIS	endence A	ve sw	GPS unit (1	Make/Model:	
City, State, ZIP Code	Woshington, Do	1 20250	-05/3	Digital Map	o/Photo, ☐ Topographi ☐ <3 m, ☐ 3-5 m, ☐	c Map, Land Survey
13 LOCATE WELL	,					2-12 m' \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
WITH AN "X" IN 4	DEPTH OF COM	PLETED WE	ELL //0) 	ft.	
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr.						
N	'ELL'S STATIC W	ATER LEVEL	<i></i> f	t below land surface	ce measured on mo/da	ay/yr
	Pump test of	data: Well-wa	ater was	ft, after	hours pump	oing gpm
w NW NE E B	SI. YIELD	gpm. Well wa	ater was	It. after	in. to//0	oing gpm
					Geothermal 🔲 In	
sws x	Domestic \(\square\)	Feedlot	Oil field wat	er supply	Dewatering C	ther (Specify below)
					Monitoring well	
V.	as a chemical/bacter] Yes 🔀 No	
S						
mile W	ater well disinfected	i? 🗌 Yes 🛭	≬ No			
5 TYPE OF CASING USE						
CASING JOINTS: 🔲 Gh	ied Clamped	☐ Welded	Threaded	i		
Casing diameter	in. to////	ft., Diameter	in.	to ft.,	Diameter	in. to ft.
Casing diameter 2 in to 160 ft., Diameter in to ft. Casing height above land surface 7.5 in Weight 19.3 lbs./ft., Wall thickness or gauge No. 5.4.80 TYPE OF SCREEN OR PERFORATION MATERIAL:						
	RFORATION MATE		_	Other (Specify)		
	ized Steel		hole)	Other (Specify)	• • • • • • • • • • • • • • • • • • • •	
SCREEN OR PERFORATION	ON OPENINGS ARI	E:				
Continuous slot	Mill slot 🔲 Ga	auze wrapped	Torch cut	Drilled holes	None (open hole))
Louvered shutter	Key punched W	ire wrapped	Saw cut	U Other (specify)		
SCREEN-PERFORATED IN	TERVALS: From.	.100	. II. 10	ft., From	ft. to	, π.
GRAVEL PACK IN	TERVALS From	98	ft to 110	ft From	ft. to	f
	From.	:	ft. to	ft., From	ft. to	ft.
6 GROUT MATERIAL:						
Grout Intervals: From	2.5 ft. to 9	8 ft., From	m f	t to ft	., From	ft. toft.
What is the nearest source of p			_ :			
Septic tank	Lateral lines		Livestock p			(specify below)
Sewer linesWatertight sewer lines	Cesspool Seepage pit	Sewage lagoon Feedvard	☐ Fuel storage Fertilizer sto			
Direction from well					<u> </u>	
FROM TO	LITHOLOGIC LOC	G	FROM		OG (cont.) or PLUG	GING INTERVALS
0 38 Clou	,					
38 110 Weath	ered Shale					
		, ,				
		<u> </u>				
			ļ			
CONTRACTOR'S OR LAN	NOWNED'S CET	TIRIOATION	Vi. This water	well was 😾	noted []	od or Delivered
inder my jurisdiction and was o	completed on (molds	autrica HUI	26/// and	this record is true	to the best of my keep	ruledge and halief
Cansas Water Well Contractor	s License No 59	7 This W	Vater Well Rec	ord was completed	on (mo/day/year)	9/2////
nder the business name of	boart Longy	FOR GOMP	614	by (signature).	the ME	
NSTRUCTIONS: Use typewriter or	ball point pen. PLEASE	PRESS FIRMLY	and PRINT clearl	y. Please fill in blanks	and check the correct ans	swers. Send three copies
white, blue, pink) to Kansas Departm elephone 785-296-5522. Send one of	ent of Health and Environment	ONNER and	f Water, Geology	Section, 1000 SW Jac	ckson St., Suite 420, Tope	eka, Kansas 66612-1367.
tp://www.kdheks.gov/waterwell/index	.html.	O WINDS and re	nam one for you	records. menide ice	or \$3.00 for cach const	rucied well. Visit us at
A 82a-1212				Check: Wh	ite Copy. A Blue C	Copy. Pink Conv