

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

Well ID

Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: Hamilton Fraction SW 1/4 NW 1/4 NW 1/4 Section Number 2 Township Number T 21 S Range Number R 41 E W

2 WELL OWNER: Last Name: Boy First: Terry Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: X

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S 1 mile 4 DEPTH OF COMPLETED WELL: 990 ft. 5 Latitude: 38.260969 Longitude: 101.797886

7 WELL WATER TO BE USED AS: 1. Domestic: [X] Household [] Lawn & Garden [] Livestock [] Irrigation [] Feedlot [] Industrial 2. [] Public Water Supply: well ID 3. [] Dewatering: how many wells? 4. [] Aquifer Recharge: well ID 5. [] Monitoring: well ID 6. [] Environmental Remediation: well ID 7. [] Air Sparge [] Soil Vapor Extraction 8. [] Recovery [] Injection 9. [] Oil Field Water Supply: lease 10. [] Test Hole: well ID 11. [] Cased [] Uncased [] Geotechnical 12. Geothermal: how many bores? 13. [] Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? [] Yes [X] No If yes, date sample was submitted: Water well disinfected? [X] Yes [] No

8 TYPE OF CASING USED: [] Steel [X] PVC [] Other CASING JOINTS: [] Glued [] Clamped [] Welded [X] Threaded Casing diameter 6 in. to 990 ft. Diameter in. to ft. Diameter in. to ft. Casing height above land surface 12 in. Weight lbs./ft. Wall thickness or gauge No. SDR 17 TYPE OF SCREEN OR PERFORATION MATERIAL: [] Steel [] Stainless Steel [] Fiberglass [X] PVC [] Other (Specify) [] Brass [] Galvanized Steel [] Concrete tile [] None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: [] Continuous Slot [] Mill Slot [] Gauze Wrapped [] Torch Cut [] Drilled Holes [] Other (Specify) [] Louvered Shutter [] Key Punched [] Wire Wrapped [X] Saw Cut [] None (Open Hole) SCREEN-PERFORATED INTERVALS: From 840 ft. to 990 ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 0 ft. to 5 ft. From 20 ft. to 180 ft. From 200 ft. to 990 ft.

9 GROUT MATERIAL: [] Neat cement [] Cement grout [X] Bentonite [] Other Grout Intervals: From 5 ft. to 20 ft. From 180 ft. to 200 ft. From ft. to ft. Nearest source of possible contamination: [] Septic Tank [] Lateral Lines [] Pit Privy [] Livestock Pens [] Insecticide Storage [] Sewer Lines [] Cess Pool [] Sewage Lagoon [] Fuel Storage [X] Abandoned Water Well [] Watertight Sewer Lines [] Seepage Pit [] Feedyard [] Fertilizer Storage [] Oil Well/Gas Well [] Other (Specify) Direction from well? South Distance from well? 40 ft.

Table with columns: 10 FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Includes a Notes section.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was [X] constructed, [] reconstructed, or [] plugged under my jurisdiction and was completed on (mo-day-yr) 02/06/2016 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 846 This Water Well Record was completed on (mo-day-yr) 02/15/2016 under the business name of Nash Water Well Service, LLC

Form	WWC5
Contractor	Nash Water Well Service, LLC
Well Owner	Terry Boy
Doc ID	1285563

Litholgy

0	25	Top Soil, Tan Clay
25	30	Tan Red Clay
30	37	White soft Rock & Caliche
37	140	Fine Med Sand with Tan Clay Layers
140	170	Tan Clay
170	300	Blue Shale
300	400	Gray Clay
400	580	Blue Shale
580	680	Gray Clay
680	720	Gray Clay with Gray sandstone streaks
720	740	Blue Clay
740	820	Blue Shale
820	850	Gray Clay
850	880	Gray Sandstone
880	990	White Sandstone
990	1000	Blue Shale