CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: <u>Mc Pherson</u> Location changed to:
Section-Township-Range: 33-225-5W	33-215-5W
Fraction (1/4 1/4 1/4):	SW SW SE
Other changes: Initial statements: 1/2 mile East of	f Ave. 14 on Apache.
Changed to: ± mi/e East of 2 nd Au	re. on Apache, N. side.
Comments:	
verification method: Phone call to well con tool on KGS website	tractor, and mapping
	initials: DPL date: 7/19/2006

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		WA	TER WELL REC	CORD	Form WWC	-5 KSA 82	a-1212 ID	No				
1 LOCATION County:	ON OF WA	TER WELL:	Fraction 1/4	NW	14NE		Section Number		nship Number 2 > s	Range Nur	mber E/ V	
Distance and	d direction	from pearest to	wn or city street	address	of well if locat	ted within city?	/					
		Fast	of Av	e 19	on	A Sa	rle					
	WELL OW		,			,		_				
RR#, St. Add City, State, 2		# :							ard of Agriculture, D plication Number:	ivision of Water P	lesources	
		CATION WITH	4 DEPTH OF (COMPLE	TED WELL	60.	ft. ELEV	/ATION:				
	SECTION		Depth(s) Grou	ndwater I	Encountered	1	?	.ft. 2	ft. 3		ft.	
	N		WELLOUIN		1 LL V LL	/	DIOW IAITH SUIT	ace measure	on mordayry			
	1	>	Est. Yield 2						hours p			
	NW	- NE	WELL WATER	TO BE		5 Public water		8 Air con		jection well	gpiii	
	¦	_	1 Domestic			6 Oil field wa		9 Dewate		other (Specify belo		
W	i	 E	Irrigation	4 1	ndustrial	/ Domestic (awn & garden) 10 Monito	ring well			
	sw	- 65							·)			
	SVV -	- SE	Was a chemic mitted	al/bacteri	ological samp	ole submitted t			lo; If yes, m isinfected? Yes	no/day/yrs sample No		
		1	milled					Traici Troii D	Nonnicotod : (CS)	110		
5 TYPE O	S S	CASING USED:		E Mro	ught iron	9 Con	crete tile	CA6	ING JOINTS Glue	Clampa		
1 Steel		3 RMP (S		3			er (specify belo			led		
27 TV9		4 ABS `	,	J.Fibe	•					Threaded		
Blank casin	g diameter	5	in. to	10	ft., Dia		in. to		ft., Dia	in. to	ft.	
			,	in.,	weight	_	• •	lbs./ft. Wa	Il thickness or guag			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel				_			PY Ø RMP (SR)		10 Asbestos-Cement 11 Other (Specify)			
1 Steel 2 Brass		4 Galvani			crete tile		ABS	~	12 None used (or	,		
SCREEN O	R PERFO	RATION OPENII	NGS ARE:		5 Gı	uazed wrappe	d	(8 Saw	cut	11 None (open	hole)	
1 Conti	inuous slot	3 N	fill slot		6 W	ire wrapped		9 Drille			,	
2 Louve	ered shutte	er 4 K	(ey punched	<i>(</i>)	7 To	orch cut		10 Other	r (specify)		ft.	
SCREEN-P	ERFORAT	ED INTERVALS		0					ft. to			
G	BAVEL PA	CK INTERVALS			ft. to . ft. to .	60	ft., Fro	m	ft. to	•••••	ft.	
~	WAVEE 174	OK IIVI ETIVALE							ft. to			
<u> </u>						~~						
	T MATERIA		it cement		ement grout		entonite		om			
Grout Interv			contamination:	۱	t., From	I		estock pens				
Sept		•	ral lines		7 Pit pri	ivv		storage		14 Abandoned water well15 Oil well/Gas well		
2 Sewe		5 Ces		8 Sewage lagoon				tilizer storage		16 Other (specify below)		
3 Wate	ertight sewe		page pit	9 Feedyard				13 Insecticide storage			·······	
Direction fro	m well?	NW					How m	any feet?	100			
FROM	то		<u> </u>	C LOG		FROM	TO		PLUGGING IN	ITERVALS		
O	10	Sa	nd t									
10	30	Cle	Ly .									
30	70	Sand	3/ Cay									
			1 - /									
41	(QO)	544	1) F 10	the	()////////////////////////////////////							
-10	u U	200	<u>u · </u>		vy		-				-	
60		56	s la									
\(\text{\ti}\}\text{\ti}\}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tex{\tex												
CONTRA	ACTOR'S	OR LANDOWNE	R'S CERTIFICA	ATION: T					or (3) plugged und			
completed of	n (mo/day/)	/ear) 7	R'S CERTIFICA 3- 06						to the best of my ki		ef. Kansas	
Water Well (under the bu	Jonnadion (77 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		This Wa	ater Well Reco	•	eted on (mo/d y (signature)	lay/yr))	••••	
a. 1401 1116 DU	Julioso IIdii	ne of (a	~ UUNC	us >	eu		D	, (Signature)	/			