WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						1		$\overline{}$
1	County Fraction		Section number		number	Township number	Range number	
1. Location of well:	Mc PHENGIA	NW 1/4 NW 1/4 N/c	14	نه له ا	3	T 2/ s	R 5	500)
2 Distance and dis				ner of well	F	F R / 2 Q Q x		<u> </u>
2. Distance and direction from nearest town or city: / mi South Street address of well location if in city: Street address of well location if in city: R.R. or street: R.R.						a) hassic	~	
Street address of we	ell location if in city:	'+ Ko	6744					
			City, s	tate, zip	code:	Inman 63	101570	200
4. Locate with "X"		Sketch map:				6. Bore hole dia in. Well depth ft.	Completion date	24/5
	N							_
	1 : 1					7. Cable tool Rotary		
NW	NE					Hollow rod Jetted	Bored Reverse	rotary
<u> </u>]					8. Use: 🗶 Domestic Pul	olic supply indus	try
₩ i	E E						conditioning Stock	
sw	SE						I field water Othe	
	1					9. Casing: Material	777) 🕰	ow .
t						Threaded Welded	Surface / d. 1	in·
1	S						Menghi 160 II	
	Mile ————			T -		Dia. 5 in. to 24 ft. dept	h Wall Thickness: inche	ns of
5. Type and color of	ot material			From	То	10. Southern Manufacturers as	ome -	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				4	10. Soggen: Manufacturer's no	SUDDIN	
رح	of Soil			0	3	Type PVC	Dia.	
	110//11/0/			3	120	Slot/gauze	Length	
	fellow Clay			~	20	Set between	ft. and <u>65</u>	ft.
1	3 00 Mm	•		20	30	ft. ar		—f†·
	my andre			T	50	Gravel pack? E Size ran		
100	ne water	_		30	3/	11. Static water level:		gy/yr.
(3)	2 11 1				1	ft. below land surf		<u></u> 3
S.	dehale			31	00	12. Pumping level below land		
11	1 7		-	10	レス	ft. after hi ft. after hi		J.p.m.
	acey	*		60	0-	Estimated maximum yield —		g.p.m.
1 (8	Il Mal.			65	70	13. Water sample submitted:	mo./d	
<i>————</i>	W. A. W.C.			تعمل	/ /		Date	
				1		14. Well head completion:		
				†		Pitless adapter /	Inches above gro	ade
				↓		15. Well grouted?	aro Pike	—
111111	located in	R. +				With: Neat cement	_ Bentoni te Cor	ncrete
nu	wased IN	DASEMEN			-	Depth: From ft. to _	18 ft.	
of w	and hame					16. Negrest source of possible	contamination:	1
	w nonce					ft Direction	Type Type	nx
						Well disinfected upon complet		No.
						17. Pump:	Not installed	-
				-		Manufacturer's name	HP Volts	— <i>\s</i>
						Model number		— \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
				+		Length of drop pipe	_ ii. capacityg	·p.m. 9
						Submersible	Turbine	
				1		Jet	Reciproca	ting N
	(Use a second	d sheet if needed)				Centrifugal	Other	
18. Elevation:	19. Remarks:		1			20. Water well contractor's c		\square
	1 18 Sunta	Lee Gipe se.	1			This well was drilled under my		port
	, surga					is True to the best of my know!	ledge and belief.	0 = 1
Topography:	hetings &	' to 26'				acrows or	Miling 10	
Slope	Junean o	200 40				Business name	Kan	se No.
Upland						CHO DE	when 1	1-12-2
Valley	· ·					Signed Authorized repr	esentative Date	7