


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County McPherson	Fraction NW 1/4 NE 1/4 NW 1/4	Section number 35	Township number T 21 S	Range number R 5 E
2. Distance and direction from nearest town or city: Street address of well location if in city:		3 MI. N 1/4 E. of Medora, KS		3. Owner of well: Sam Lewis R.R. or street: R.R. 5 City, state, zip code: Hutchinson, KS 67501		
4. Locate with "X" in section below: N W E S 1 Mile		Sketch map: 		6. Bore hole dia. 10-60 Completion date 7-25-77 Well depth 5-148		
5. Type and color of material		From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
Topsoil		0	3	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
Yellow clay + silt		3	39	9. Casing: Material PVC Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 240 lbs./ft. Dia. 6 in. to 80 ft. depth Wall thickness 3.57 inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1280		
gray clay		39	44	<input checked="" type="checkbox"/> Screen: Manufacturer's name F&K None used Type PVC Dia. 6 Slot gauge 1/8 Length <input type="checkbox"/> Set between <input type="checkbox"/> ft. and <input type="checkbox"/> ft. Gravel pack? No Size range of material <input type="checkbox"/>		
Brown clay		44	55	11. Static water level: <input type="checkbox"/> mo./day/yr. 18 ft. below land surface Date 7-25-77		
Fine Sand		55	65	12. Pumping level below land surfaces: 80 ft. after 1 hrs. pumping 10 g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 12 g.p.m.		
Brown clay		65	68	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date <input type="checkbox"/>		
Clay + Sand		68	77	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade		
Red + Blue Shale		77	148	15. Well grouted? Yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 3 ft. to 13 ft.		
(Use a second sheet if needed)				16. Nearest source of possible contamination: ft. NE Direction 75 Type sewer Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: Manufacturer's name Aermotor <input type="checkbox"/> Not installed Model number 5008 HP 1/2 Volts 270 Length of drop pipe 100 ft. capacity 8 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Miller Water Well 137 Business name License No. Address Hutchinson, KS Signed Joe Miller 6-15-78 Date Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5