WATER WELL RECORD	Form W	WC-5	Di	ivision of Water	Resources App. N	o. L	
1 LOCATION OF WATER WELL:	Fraction			on Number		Range Number	
County: Rice	145E14 SE	= 145W 1/	<u> </u>	34	T 2/ S		
Street/Rural Address of Well Location;	f unknown, distance &	& direction	Globa		System (GPS) in		
from nearest town or intersection: If at	owner's address, checl	k here				(in decimal degrees)	
			Long	Longitude: (in decimal		(in decimal degrees)	
2829 Ave Y			Datus	ation:	4, □ NAD 83, □	 NAD 27	
2 WATER WELL OWNER: John Schletzbau			Collection Method:				
RR#, Street Address, Box #: 602 Newport K		d		GPS unit (Make/Model:)			
City, State, ZIP Code : Hutch, KS 67		02		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		•	Est. A	Accuracy: $\square$ <	3 m, ∐ 3-5 m, ∐	5-15 m, $\square$ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL							
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 3. ft. below land surface measured on mo/day/yr 5-28-10.						
Pumn	Pump test data: Well water was3.7ft. after						
	TOTAL VIEW DATE OF THE PROPERTY OF THE PROPERT						
NW NE	NW NE   D						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
Domestic							
Was a chemical/bacteriological sample submitted to Department?   Yes   X   No							
S If yes, mo/day/yr sample was submitted							
mile  Water well disinfected? ★ Yes □ No							
5 TYPE OF CASING USED:   Stee	PVC 🔲 (	Other					
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From 6.0 ft. to							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From							
		بد.ج ۱	. It. to	n.,	From	. ft. toft.	
What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool		Fuel stora		Abandoned		ici (specify below)	
Watertight sewer lines Seepage pit Feedyard		Fertilizer					
Direction from well						in 500 FT	
FROM TO LITHOLOG	IC LOG	FROM	ТО	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0 18 F Sand							
18 26 Sandy Br Cla							
	d-Sm layer	clas					
\$3 80 F Sand + Clay							
80 90 F Sand							
90 102 Sandy Br + Gr	Clay						
102 132 F Sand							
132 138 Rocky Br Cla	<u> </u>						
T CONTENT OF THE CANADA	10 CEDMINIO : TO	NI. TIL.					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) .5.36							
Kansas Water Well Contractor's License No. 447. This Water Well Record was completed on (mo/day/year) 5-29-10 under the business name of willer Drilling by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							