WATER WELL RECORD FORM WWC-5 Division of water Resources	
1 LOCATION OF WATER WELL: Fraction Section Number Townshi County: Rice NE 1/4 NE 1/4 NW 1/4 SE 1/4 30 T 21	ip No. Range Number S R 6 □ □ □ □ □ □ □ □ □ □ □ □ □
County: Rice NE ½ NE ½ NW ½ SE ½ 30 T 21 Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (9)	
from nearest town or intersection: If at owner's address, check here . Latitude: .38.19444	(in decimal degrees)
From 82nd & Sallee 2N 1W 1 3/4N WSR 1/4 into field Longitude: 098.01904	(in decimal degrees)
Elevation:	
2 WATER WELL OWNER: Randy Richardson Datum: WGS 84, NAI Collection Method:	D 83, [∠] NAD 27
RR#, Street Address, Box #: 2645 Avenue W	Garmin csx
City, State, ZIP Code : Sterling Kansas 67579 Digital Map/Photo, 🗹 Top	pographic Map, 🔲 Land Survey
Est. Accuracy: 📋 <3 m, 🗸 3-	-5 m, 5-15 m, >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 40 ft.	
	ft. (3) ft.
SECTION BOX: N Depth(s) Groundwater Encountered (1)	on mo/day/yr11-15-12
Pump test data: Well water wasft. after hou	urs pumping gpm
EST. YIELDgpm. Well water wasft. after	
W ELL WATER TO BE USED AS: Public water supply Geothermal	
Demostic D Foodlot D Oil field water camply Dewatering	
SW SE	vell stock
Was a chemical/bacteriological sample submitted to Department? Yes	No
S If yes, mo/day/yr sample was submitted	
Water well disinfected? ✓ Yes □ No	
5 TYPE OF CASING USED: Steel PVC Other	
CASING JOINTS: Glued Clamped Welded Threaded	
Casing diameter .5 in. to .30 ft., Diameter in. to ft., Diameter	in. to ft.
Casing height above land surface. 36 in., Weight 160 lbs./ft., Wall thickness or gauge No214	
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)	
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)	
SCREEN OR PERFORATION OPENINGS ARE:	
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (o	open hole)
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)	
From	
GRAVEL PACK INTERVALS: From 40 ft. to 17 ft., From	ft. to ft.
From ft. to ft., From	
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other	
Grout Intervals: From .17 ft. to .0 ft., From ft. to ft., From	ft. toft.
What is the nearest source of possible contamination:	5
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well	pond
Direction from well North Distance from well 80'	
	or PLUGGING INTERVALS
0 3 Top soil	
3	
12 16 Dark gray clay 16 37 Medium sand and gravel	
37 40 Green shale	
Of 15 Orosin Grado	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ r	
under my jurisdiction and was completed on (mo/day/year) .11-15-2012 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/da under the business name of Rosencrantz-Bemis Ent. by (signature)	ay/year) 11-20-2012
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the	the correct answers. Send three comies
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.	
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy	