			W	ATER WELL	RECORD	Form W	VC-5 KSA 8	2a-1212			
1 LOCATION	ON OF WAT	ER WELL:	Fraction	. []		1	Section Number		p Number	Range No	\sim 1
County:	Kice		INW	1/4 NW	1/4 N/N		36	T	/ s	R 7	E/(V)
Distance a	nd direction	from nearest town of	or city stre	et address o	f well if locate	d within o	ity?				
2 WATER	R WELL OW	NER: Loren	Colle								
		# : 2400 A						Board	of Agriculture, I	Division of Wate	r Resources
		Sterlin			29				ation Number:	200	
		OCATION WITH 4				40	# 515				
AN "X"	IN SECTION	I BOY.									1
_ 5	<u> </u>							. 2			
7 7	·	! W			_			surface measure			
-	- NW	NF	F	Pump test da	ta: Well wate	er was .	···AIA···ft.	after	hours pu	mping	gpm
1 1	i i		st. Yield	gp	m: Well wate	erwas .	ft.	after	hours pu	mping	gpm
• L	i .	IBo	re Hole D	iameter 🥰	30 in. to	40	?	, and	in	to	ft.
¥ w -	_	ı wı	ELL WATE	ER TO BE U	SED AS:	5 Public	water supply	8 Air conditio	ning 11	Injection well	
7	1	1	1 Dome	estic 3	Feedlot	6 Oil fiel	d water supply	9 Dewatering	12	Other (Specify I	below)
I 1-	- SW	SE	2 Irrigat	ion 4	Industrial	7 Lawn a	and garden only	10 Monitoring	well		
1 1	-	l lw						YesNo.	A .		
1			tted	, oui, basis, ioi	giodi odinipio i	Jub.,,,,,,	•	Vater Well Disinf			pro mao out
5 TYPE (DE DI ANK C	ASING USED:	iiou .	5 Wro	ight iron	8.0	oncrete tile		JOINTS: Glued		ned.
		3 RMP (SR)			-		ther (specify be			ed	1
1 Ste		, ,			stos-Cement	9 0	ther (specify be	iow)			I
2 PV	ر ک	4 ABS		7 Fiber	•					ıded	
Blank casi	ng diameter	16in.	to •••	ft.		4.0		ft., Dia			I .
Casing he	ight above la	and surface	<u>ئ</u> ر	in., wei	ght Sch	.40.	lb	s./ft. Wall thickne	ess or gauge N	o	
TYPE OF	SCREEN O	R PERFORATION M	MATERIAL	:			PVC	10	Asbestos-ceme	nt	
1 Ste	eel	3 Stainless st	eel	5 Fiber	rglass	- 1	RMP (SR)	11	Other (specify)		
2 Bra	ass	4 Galvanized	steel	6 Cond	crete tile	ç	ABS	12	None used (op	en hole)	
SCREEN	OR PERFOR	RATION OPENINGS	ARE:		5 Gauz	ed wrapp	ed	8 Saw cut	5	11 None (ope	n hole)
1 Co	ntinuous slo	t 3 Mill s	slot		6 Wire	wrapped		9 Drilled ho	les		
210	uvered shutt	er 4 Kevi	punched		7 Torch			10 Other (sp	ecify)		
		ED INTERVALS:	From	.20	ft. to	40	' # F	rom	ft t	n	ft
COMERN	LI 11 01 01 11	D WYLLYNEO.	From		ft. to		# F	rom	ft t	.	ft
,	SDAVEL DA	CK INTERVALS:	From	20	ft to	40	# F	rom	ft t	o	
•		OR INTERVALS.	From	. *************************************	ft. to				ft. t		ft.
00011		4 11-4		(0.0			ft., F				
_	MATERIAL			2 Ceme	nt grout			4 Other			
Grout Inter				,	From			,			
		urce of possible cor	ntaminatio				10 Liv	estock pens		bandoned wate	r well
1 Se	ptic tank	4 Lateral li	ines		7 Pit privy		11 Fue	el storage	15 O	il well/Gas well	
2 Se	wer lines	5 Cess po	ol		B Sewage lag	oon	12 Fer	tilizer storage	16 O	ther (specify be	elow)
3 Wa	atertight sew	er lines 6 Seepage	e pit		9 Feedyard		13 Ins	ecticide storage		<i>NH</i>	
Direction f	rom well?						. How n	nany feet?			j
FROM	TO		LITHOLOG	GIC LOG		FRO			PLUGGING I	NTERVALS	
0	3	TOP_SO	:1								
3	10	Brow	n C	ay							
10	40	Mediur									
	,,,	, rocus rus		U ĮU							
						_	<u> </u>	 			-
						-					
						-					
								1			
7 CONTE	RACTOR'S	OR LANDOWNER'S	CERTIFIC	CATION: This	water well w	as(1) co	nstructed, (2) re	constructed, or	(3) plugged und	ler my jurisdicti	on and was
I							and this ro		e best of my kn	owledge and he	liof Kaneae
completed	on (mo/day/	year)	5-7K	?					/ ·	owiedge and be	ilei. Karisas į
	` •	year)	537	? ;:····				d on (mo/day/yr	/ ·	0-96	/
Water Wel	` •	s License No	537 5 Ari	lling r	This Water W			d on (mo/day/yr	/ ·	0-96 owers	,
Water Wel	Contractor	s License No	537 5 Ario	lling = 1	This Water W	/ell Recor	d was complete by (sigi	d on (mo/day/yr nature)	rihi Fl	0-96 owers	!