WATER WELL RECO	RD	Form V	VWC-5	Б	Division of Wate	r Resources App. N	29311	
1 LOCATION OF WATER WELL:		Fraction			ion Number	Township No.	Range Number	
		NE ¼ NE ¼ S	W 1/4 SW 1/		15	T 21 S	R 7 ☐E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: 38.22099 (in decimal degrees)			
From Nickerson 4 1/4 North East 1/4					Longitude: 098.08293 (in decimal degrees) Elevation: 1619			
					Datum: WGS 84. NAD 83. NAD 27			
2 WATER WELL OWNER: Doug Engelland				Colle	Collection Method:			
RR#, Street Address, Box #: 2255 Avenue V				GPS unit (Make/Model: Garmin)				
City, State, ZIP Code	Kansas 67579	_0	☐ Digital Map/Photo, ☑ Topographic Map. ☐ Land Survey					
					Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 57 ft.								
	i e e e e e e e e e e e e e e e e e e e							
N W	WELL'S STATIC WATER LEVEL 10							
Pump test data: Well water was								
WELL WATER TO BE USED AS:								
Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes You No If yes, mo/day/yr sample was submitted								
water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .16								
Casing diameter	III. 10 .9!	II., Diameter.		10	R., Di	knoss or gouge N	m. τοπ. - 500	
Casing height above land surface. 24 in., Weight SCH 40 lbs/ft., Wall thickness or gauge No500								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From								
From ft. to ft., From ft. to								
GRAVEL PACK INTERVALS: From 57 ft. to 17 ft., From ft. to							to A	
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .17	/ ft. to	.1 ft., Froi	m	ft. to	ft.,	From	. ft. toft.	
What is the nearest source of					•			
Septic tank	☐ Lateral lin☐ Cesspool	es Pit privy	Livestock		Insecticide		er (specify below)	
Sewer lines	Sewage lagoon	Fuel stora	-	Abandoned	N	<u> </u>		
☐ Watertight sewer lines Direction from well		it reedyard	Fertilizer s		□ Oil well/ga: rell	, well		
FROM TO	LITHOLOG	ICLOG	FROM	TO		G (cont.) or PLU	GGING INTERVALS	
0 3 Top soil	Limber	LO LO G	1 KOM	10	LITIO. LC	o (cont.) of FLO	GORIO INTERVALS	
3 8 Brown clay		 '	 		 			
	Medium sand				 			
	Medium sand-clean							
	Medium sand							
50 51 Clay								
	Medium sand							
56 58 Red bed								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .5-18-2012 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 5-22-2012								
under the business name of Rosencrantz-Bemis Enterprise by (signature) Cariella . Woods								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white. blue, pink) to Kansas Depar tment of Health and Environment. Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send or	ment of Health a	mu E nvironment, Bureau ER WELL OWNER and	or water, Geol	ogy Sech vour reco	on, 1000 SW Jac rds. Include fee	kson St., Suite 420,] of \$5.00 for each cor	ropeka, Kansas 666 12-1367.	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy								