GA	LORD	TAHNS	2N#1-1/W	ATER WELL RECORD	Form WWC-5	KSA 82a-	1212			
	ON OF WA	TER WELL:	Fraction		Sec	tion Number	Township Num	ber	Range Nur	nber
	RI			14 3E 14 50		_//	T 2/	S	R 7	_E(V)
_		<b>*</b> -		et address of well if locate	•					
				45 WESTSID	<u> </u>					
				PRILLIHE CO	·	AYLORI	D JOHN JON			
RR#, St.	Address, Bo	×# BOY1							Division of Water	
	, ZIP Code	STE	MLING	KJ 67579					T821	
3 LOCATI	E WELL'S L	OCATION WITH	4 DEPTH Ó	F COMPLETED WELL	40	ft. ELEVA	TION:			
AN "X"	IŅ SECTIO	1 BOX:	Depth(s) Gro	undwater Encountered 1	ı <i>1.5</i>	ft. 2		ft. 3.		ft.
ı [	ļ.	ı	WELL'S STA	TIC WATER LEVEL	<b>§</b> ft. b	elow land surf	ace measured on m	no/day/yr	2.17.	82
1 1	NW	- NE	P	ump test data: Well water	er was	ft. af	ter	hours pur	mping	gpm
	1	146	Est. Yield	gpm: Well water	er was	ft. af	ter	hours pur	mping	gpm
•	i		Bore Hole Di	ameter 7. 7. 8in. to		$\emph{Q}$ ft., a	ınd	in.	to	ft.
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1	1	WELL WATE	R TO BE USED AS:	5 Public water	er supply	8 Air conditioning	11	Injection well	
7	1	1	1 Domes	stic 3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	. 12 (	Other (Specify be	elow)
	2M	SE	2 Irrigation	on 4 Industrial	7 Lawn and	garden only 1	0 Observation well			
1 1	i i		Was a chemi	cal/bacteriological sample	submitted to D	epartment? Ye	sNo	; If yes,	mo/day/yr sampl	e was sub-
ī			mitted				er Well Disinfected?		No	
5 TYPE (	OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOIN	rs: Glued	Clampe	d 🌽
1 St	eel	3 RMP (S	SR)	6 Asbestos-Cement	9 Other	(specify below	)	Welde	ed	
2 P\	/C	4. ABS		7 Fiberglass				Threa	ded	
Blank casi	ing diameter	5	.in. to 🖋	Z.O ft., Dia	in. to		ft., Dia	i	n. to	ft.
Casing he	ight above la	and surface	1.2	in., weight	2.6.9	Ibs./f	t. Wall thickness or	gauge No	214.	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		7 <u>PV</u>	<u>c</u>	10 Asbes	tos-ceme	nt	
1 Steel 3 Stainless steel 5 Fiberglass						8 RMP (SR) 11 Other (specify)				
2 Br	ass	4 Galvani:	zed steel	6 Concrete tile	9 AB	S	12 None	used (ope	en hole)	
SCREEN	OR PERFO	RATION OPENIN	NGS ARE: $V_{j}$	5 Gauz	ed wrapped		8 Saw cut		11 None (open	hole)
1 Cc	ontinuous slo	t 3 N	∕lili slot	6 Wire	wrapped		9 Drilled holes			
2 Lo	uvered shut	ter 4 K	Key punched	7 Torch	. 4		10 Other (specify)			
SCREEN-	PERFORAT	ED INTERVALS:	: From		. <i>4.0</i>	ft., Fron	n	ft. to	)	ft.
			From				n			
(	GRAVEL PA	CK INTERVALS	: From	<i>[. D</i> ft. to .	.40	ft., Fron	n <i></i>	ft. to	) <i></i> .	ft.
			From	ft. to		ft., Fron	n	ft. to	)	ft.
6 GROUT	T MATERIAL	.: 1 Neat	cement /	2 Cement grout	3 Bento	onite 4	Other			
Grout Inte	rvals: Fro	m	.ft. to	7 ft., From	ft.	to	ft., From		. ft. to	ft.
What is th	e nearest so	ource of possible	contamination	NONE		10 Livest			andoned water	
ı	eptic tank		eral lines	7 Pit privy		11 Fuel s	storage	15 Oi	l well/Gas well	
2 Se	ewer lines	5 Cess	s pool	8 Sewage lag	8 Sewage lagoon 12		•		Other (specify below)	
3 W	atertight sew	er lines 6 Seep	page pit	9 Feedyard		13 Insect	icide storage .			
Direction 1	from well?				.,	How man	y feet?			
FROM	то		LITHOLOG	SIC LOG	FROM	то	Lľ	THOLOG	IC LOG	
0	3	5016								
3	15	CLAY								
15	40	GRAVE	=6			<u> </u>				
·		, , , , , , , , , , , , , , , , , , , ,								
7 CONTI	RACTOR'S	OR LANDOWNE	R'S CERTIFIC	ATION: This water well w	vas (1) constru	cted, (2) reco	nstructed, or (3) plu	gged und	er my iurisdiction	and was
		year)	77				d is true to the best			
				.9 This Water V						
										יגני.
INSTRUC	TIONS: Use	typewriter or ball	point pen, PLI	ATEN WELL	nd PRINT clear	ly. Please fill in	blanks, underline or	circle the	co ect answers	. Send top
three copie	es to Kansas	Department of H	lealth and Envir	onment, Division of Environ	nment, Environ	mental Geolog	y Section, Topeka, K	S 66620.	Send one to WAT	ER WELL
OWNER 8	and retain or	ne for your recor	ds.							