WATER WELL RECORD		Form WV	VC-5	Divi	Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Rice		Fraction SW ¼ SW ¼ NW	1/4 SE 1/4		n Number 21	Range Number R 8 □E ☑W		
Street/Rural Address of Well Location; if unknown, distance & direction				21 T 21 S R 8 DE WW Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
341 S. Broadway, Sterling, KS				Longitude: (in decimal degrees)				
-				Elevation:				
2 WATER WELL OWNER: Farmers Coop Union-Lee Burgess				Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
RR#, Street Address, Box #: PO BOX 159			19633	GPS unit (Make/Model:)				
		, KS 67579		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Otoling, NO OTOTO				Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 15' ft.								
WITH AN "X" IN SECTION BOX:	· · · · · · · · · · · · · · · · · · ·							
SECTION BOX:	WELL'S STATIC WATER LEVEL 5.64							
	Pump test data: Well water wasft. afterhours pumpinggpm							
more vitra in								
WNWNE	l n			ft., andft.				
WELL WATER TO BE USED AS:						njection well		
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Irrigation   Industrial   Domestic-lawn & garden ▶ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted								
1 mile  Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .5 ft., Diameter								
Casing height above land surface3.72								
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From5								
From								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From .1								
What is the negrect source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer s				ge  Abandoned water well				
				from well				
FROM TO	LITHOLOG		FROM	TO			JGGING INTERVALS	
	, sandy				21111012	0 0 (00) 01120	700111011111111111111111111111111111111	
	very fine to med	ium						
					DE0="	·		
					RECEIV	VED .		
		al Returned to E	onder			MW 11	WFD	
	Ongin	al Keturned to	7		FEB 04	2010		
	for C	orrection Date:						
				Bur	<b>IEAU OF</b>	WATER	OV 19 7009	
						DIID	EAU OF WATER	
7 CONTRACTORS (	D I ANDOWNE	DIS CEPTIFICATION	V. This work		na [7] constr			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \bigcirc \) constructed, \( \pi \) reconstructed, or \( \pi \) plugged under my jurisdiction and was completed on \( \pi \) (mo/day/year) .09/14/2009 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on model of the best of my knowledge and belief.								
under the business name of Cranco Great Plains, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blank and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								
					7,	177	10, mm = -3PJ	