WATER WELL RECORD	Form	WWC-5	Division of Wate	r Resources App. No),	
1 LOCATION OF WATER W	ELL: Fraction		Section Number	Township No.	Range Number	
County: Rice Street/Rural Address of Well I	1/4 NE1/4.	SE 145E 14	2/		R & □E XW	
Street/Rural Address of Well I	ocation; if unknown, distant	ce & direction	Global Positioning	System (GPS) inf	formation:	
from nearest town or intersection: If at owner's address, check here .				Latitude: 38.205/0 (in decimal degrees)		
			Longitude: .0.9.6.1.9.8.7.9 (in decimal degrees)			
			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: John Waverly RR#, Street Address, Box #: City, State, ZIP Code: Sterling, K5 67579			Collection Method:			
RR#, Street Address, Box #: 523 E. Van Buren			GPS unit (Make/Model:)			
City, State, ZIP Code : Sterling, KS		67579	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 5-15 m, ☐ >15 m			
1.3 LUCATE WELL				<u>э ш, ца э-э ш, ш</u>	5-15 m, > 15 m	
	PTH OF COMPLETED W					
SECTION BOX: Depth(- print(s) 515 min 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
WELL'S STATIC WATER LEVEL						
Pump test data: Well water was 2.3 ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm						
W -NW - NE - EST. YIELD						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
Domestic						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
Water went distincted. 22 Tes 1140						
5 TYPE OF CASING USED: Steel YPVC Other Other						
CASING JOINTS: Signature Glued Clamped Welded Threaded Casing diameter						
Casing height above land surface. 12 in., Weight 2.35 lbs./ft., Wall thickness or gauge No. 160 #						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☒ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From 5.2 ft. to 6.3 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.						
From 40 ft. to 64 ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
What is the nearest source of poss		10III 	11. 10	T10III	11. 10	
	Lateral lines Pit privy	Livestock	ens Insecticide	storage	er (specify below)	
Sewer lines	Cesspool Sewage lagoo	on 🔲 Fuel storag	e Abandoned	water well	,	
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well FROM TO LIT	THOLOGIC LOG	FROM	. ,		GGING INTERVALS	
0 (0(1)		FROM	IO LITHO. LC	od (com.) or PLOC	JUINU INTERVALS	
6 36 Sand x	Gravel					
36 40 Gr C/0						
40 48 F San	7					
	Sm Gravel					
53 54 Br Clay						
54 63 Sand 4	Sm Gravel					
63 64 Br Clay						
7 CONTRACTORS OR LAND	OWNED'S CEDTIEICAT	TONA This west		acted Descenden	oted or Dulygood	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year)/						
Kansas Water Well Contractor's License No						
under the business name of Miller Drilling by (signature) Lath Villes						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .						
KSA 82a-1212						