WATER WEI	LL RECORD	Form WWC	C-5	Division of Water	Resources App. No	o	
	OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: RIC		SE 1/4 SE 1/4 SE 1/4		21	T 21 S	R 8 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
from nearest	town or intersection: If at	Latitude:38,2103	31	(in decimal degrees)			
101 N. BROADWAY , STERLING, KS				Longitude: 98.20706 (in decimal degrees)			
				Elevation: 1639.97 Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: KDHE				Collection Method:			
RR#, Street Address, Box #: 1000 SW JACKSON STREET				GPS unit (Make/Model:)			
City, State, ZIP Code : TOPEKA, KS 66612-1367			☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey				
			Est. Accuracy: $\square <$	3 m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m		
3 LOCATE WE	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 17						
SECTION BO							
N SECTION BO	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Pump test data: Well water wasft. after						
NW NE EST. YIELDgpm. Well water wasft. after							
W E Bore Hole Diameterin. toft., andin. toft.							
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well							
-SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well ○ 120							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted							
S If yes, mo/day/yr sample was submitted							
water well distincted: 1 Tes 152 No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to							
Casing diameter							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From .1							
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site							
	m well			rom well			
FROM TO	LITHOLOG	GIC LOG F	ROM	TO LITHO, LO	OG (cont.) or PLU	JGGING INTERVALS	
0 1	CONCRETE						
1 5	FILL						
5 8 8 17	CLAY, SILTY SAND, VERY FINE TO	MEDILIM					
0 17	SAND, VERT FINE I	2 MEDION			OI20		
					0120		
		7007074					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .03/08/20.11 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 06/13/2011							
under the business name of Coranco Great Plains, Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							