WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: RICE	SW 1/4 SW 1/4 SW 1/4 NE 1/4	21 T 21 S R 8 □E 🗸 W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:		
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		
		Longitude: (In decimal degrees)
124 N. Broadway, Sterling, KS		Longitude: . /. C. / (in decimal degrees)
		Elevation:
2 WATER WELL OWNER: KDHE(Former Car Dealership)		- <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
TO THE		Collection Method:
City State 71D Code		GPS unit (Make/Model:)
TOPEKA, KS 66612-1367		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
Est. Accuracy: S m, S-15 m, 5-15 m, >15 m		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 17.0 ft.		
SECTION BOX: Depth(s) Groundwater Encountered (1)6!		
N Depth(s) Groun	idwater Encountered (1).~♥	ft. (2) ft. (3) ft.
WELL SSIATIC WATER LEVEL		
Pump test data: Well water wasft. after hours pumping		
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm		
W Bore Hole Diameterin. toft., andin. toft.		
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☑ Injection well		
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well ○xygenInjection18		
Was a chemical/bacteriological sample submitted to Department? Yes No		
S If yes, mo	/day/yr sample was submitted	
Water well disi	nfected? 🗌 Yes 🕡 No	
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter 1"		
Casing height above land surface1.32 in., Weight		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From		
Francisco Control Cont		
From		
GRAVEL PACK INTERVALS: From13 ft. to17 ft., From ft. to ft.		
From		
6 GROUT MATERIAL: Neat cement Cement grout V Bentonite □ Other		
Grout Intervals: From .1		
What is the nearest source of possible con	tamination:	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)		
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well		
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Lust Site		
Direction from well		from well
FROM TO LITHOLOG		
	JIC LOG FRUM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 1 Asphalt		
1 6 Clay, silty		
6 17 Sand, very fine to fine		
		OIP18
		OIF 10
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) .06/30/20.11 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 594 This Weter Well Description and was completed on (morday/year) and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mg/day/year) 010/05/2011		
under the business name of Coranco Great Plains, Inc. by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.		
YVOLOO JOJO		
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy		