							-revised-	
WATER WELL RECORD Form WWC-5				·-	Division of Water		MW27S	
	Correction	<u> </u>	e in Well Use		sources App. No		Well ID	
1 LOCATION OF WATER WELL: Fraction SW1/4 SW1/4 SW1/4				¼ NE¼				
1					Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:			
Address: 1000 SW Jackson, Suite 410					114 N. Broadway Ave.			
Address: 114 N. City: Topeka State: KS ZIP: 66612 Sterling								
3 LOCATE WELL								
WITH "X" IN	4 DEPTH OF COMPLETED WELL: 15 ft. Depth(s) Groundwater Encountered: 1) ft. Longitude: 98.20618 (decimal of Longitude)							
SECTION BOX:	2)							
	WELL'S STATIC WATER LEVEL:3.86ft. ■ below land surface, measured on (mo-day-yr)6-27-19 □ GPS (unit make/model:							
NWNE								
	Pump test data: Well water was ft.					■ Land Survey ☐ Topographic Map ☐ Online Mapper:		
W E	after hours pumping gpm Well water was ft.							
SW SE	after hours pumping							
S							GPS Topographic Map	
mile	1 mile mile mile mile mile							
7 WELL WATER TO BE USED AS:								
1. Domestic: Household	5. ☐ Public Water Supply: well ID							
Lawn & Garden	7. Aguifer Recharge: well ID				□ Cased □ Uncased □ Geotechnical			
Livestock	8. Monitoring: well ID				12. Geothe	12. Geothermal: how many bores?		
2. ☐ Irrigation 3. ☐ Feedlot					a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water			
4. ☐ Industrial ☐ Recovery ☐ Injection					13. Other (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height above land surface								
Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 5 to ft From ft to ft From ft to ft								
GRAVEL PACK INTERVALS: From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Cement (0-1') Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ■ Fuel Storage ☐ Abandoned Water Well								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify) Direction from well? West-southwest Distance from well? 260 ft.								
10 FROM TO		LITHOLOG		FROM	ТО І	ITHO LOG (cont.) or	PLUGGING INTERVALS	
	Gravel			1		21110. 200 (0011.) 01	I DO GOING INTERVINED	
			prown to brown					
6 15 S	Sand (SW),	brown						
		<u></u>			+			
	Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, \square reconstructed, or \square plugged								
under my jurisdiction and was completed on (mo-day-year) 6-26-19 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 585								
Mail I white copy alo	ng with a fee of	\$5.00 for <u>eac</u>	ch constructed well to: K	ansas Departme	nt of Health and E	nvironment, Bureau of Wa	ater, GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								