	/ATES 14/5/11	<b>-</b>							. t
I LOCATION OF V County: R 1 C		Fraction	VA NE VA		tion Number	Township		Range Num	
		wn or city stree	et address of well if loca	ated within city?			/ S	R &	(W)
istance and and	1/2		of Sterli		÷ 201	2			
WATER WELL (				7	202	<u></u>			
		SISTA	Sampson			Doord of	. A	Vision of Material	D
R#, St. Address,	· · · · · · · · · · · · · · · · ·		KS 67502				•	ivision of Water I	Hesource
ty, State, ZIP Coo				1/12			on Number:		
AN "X" IN SECT	LOCATION WITH		COMPLETED WELL.						
	N		undwater Encountered						
	<b>*</b> ]	WELL'S STA	TIC WATER LEVEL	<b>7</b> ft. b	elow land surf	ace measured	on mo/day/yr	9.7.7.7.7	
NW -	NE		ump test data: Well w						
		1	gpm: Well w				•		
w	E		ameter <b>9</b> in.	to				to	f
"   !	1 ! 1	_	R TO BE USED AS:	5 Public wate		8 Air conditioning	-	njection well	
sw -	_   SE	Domes						Other (Specify be	
1	i i	2 Irrigation						• • • • • • • • • • • • • • • • • • • •	
		Was a chemic	cal/bacteriological sample	le submitted to De					e was su
	<u> </u>	mitted				er Well Disinfed			
TYPE OF BLAN	CASING USED:		5 Wrought iron		ete tile		OINTS: Glued	Clamped	1
1 Steel	3 RMP (S	SR)	6 Asbestos-Cemer	nt 9 Other	(specify below	')		ed	
<b>Ø</b> PVC	4 ABS	2	7 Fiberglass					ded	
			O ft., Dia						
			in., weight			t. Wall thicknes	s or gauge No	) <i>! 6 0</i>	
YPE OF SCREEN	OR PERFORATION	ON MATERIAL:		ZPV			sbestos-ceme		
1 Steel	3 Stainles	s steel	5 Fiberglass		IP (SR)				
2 Brass	4 Galvani		6 Concrete tile	9 AB			one used (ope	•	
CREEN OR PERF	ORATION OPENII	NGS ARE:		uzed wrapped		Saw cut		11 None (open	hole)
1 Continuous	slot 3 M	Mill slot	6 Wi	re wrapped		9 Drilled hole			
O Lancers of the		/				10 Other Jane			
2 Louvered sh	iutter 4 r	Key punched	7 To	rch cut		to Other (spec	жу)		
	ATED INTERVALS:	: From	3.0 ft. to	40		n	ft. to	<b>.</b>	<i>.</i> f
		From	ft. to	40	ft., Fron	n	ft. to	)	<i>.</i> f f
CREEN-PERFOR		From	3.0 ft. to	43	ft., Fron	n	ft. to	)	f f f
GRAVEL	ATED INTERVALS	From From From		43	ft., Fron ft., Fron ft., Fron	n	ft. to ft. to ft. to	)	
GRAVEL GROUT MATER	ATED INTERVALS: PACK INTERVALS IAL: 1 Neat	From From From From		¥3	ft., Fron ft., Fron ft., Fron	n	ft. tc	)	
GRAVEL GROUT MATER Frout Intervals:	PACK INTERVALS	From From From From cement .ft. to	2 Cement grout  1.5. ft., From	¥3	ft., Fron ft., Fron ft., Fron	n	ft. to	)	
GRAVEL GROUT MATER Grout Intervals: F	PACK INTERVALS  PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to	7.0	¥3	ft., Fronft., Fron ft., Fron nite 4 e	n	ft. to ft. to ft. to	other to the state of the state	
GRAVEL GROUT MATER irout Intervals:	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination		YO Y3 Bento ft.	ft., Fronft., Fron ft., Fron nite 4	n	ft. tc.	tt. to	
GROUT MATER GROUT Intervals:  1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool	7.0	YO Y3 Bento ft.	ft., Fron ft., Fron ft., Fron nite to	n	ft. tc.	other to the state of the state	
GROUT MATER GROUT MATER frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines Watertight	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool		YO	ft., Fron ft., Fron nite to	n	ft. tc.	tt. to	
GROUT MATER GROUT MATER frout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines Watertight s Direction from well?	PACK INTERVALS  IAL: 1 Neat  From  Source of possible  4 Late  5 Cess  sewer lines 6 See	From From From cement ft. to contamination ral lines s pool page pit	7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GROUT MATER GROUT MATER Frout Intervals: From Septic tank 2 Sewer lines 1 TO	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit	7 Pit privy 8 Sewage I 9 Feedyard	YO	ft., Fron ft., Fron nite to	n	ft. tc.	oft. to	
GROUT MATER frout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 2 Vatertight s irrection from well? FROM TO	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the neares: 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GROUT MATER frout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 2 Vatertight s irrection from well? FROM TO	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GROUT MATER frout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 2 Vatertight s irrection from well? FROM TO	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	vell
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	vell
GROUT MATER GROUT MATER Frout Intervals: From Septic tank 2 Sewer lines 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GROUT MATER frout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 2 Vatertight s irrection from well? FROM TO	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GROUT MATER frout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 2 Vatertight s irrection from well? FROM TO	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GROUT MATER GROUT MATER Frout Intervals: From Septic tank 2 Sewer lines 1 Septic tank 2 Sewer lines	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG	ft. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.	ft., Fron ft., Fron nite to	n	ft. tc. ft. tc	oft. to	
GRAVEL  GROUT MATER frout Intervals: Frout Intervals: From Intervals in the nearest in Septic tank in the se	PACK INTERVALS  IAL: 1 Neat  From	From From From cement ft. to contamination ral lines s pool page pit  LITHOLOG Sand Conavel	7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.  agoon  FROM	tt., From tt., F	n	14 Ab 15 Oi 16 Of	tt. to	
GRAVEL  GROUT MATER rout Intervals: F /hat is the nearest 1 Septic tank 2 Sewer lines 2 Vatertight s irrection from well/ FROM TO 7 7 43  CONTRACTOR	PACK INTERVALS  IAL: 1 Neat  From	From From From From Cement If. to Contamination oral lines s pool page pit  LITHOLOG Sand Conavel	7 Pit privy 8 Sewage I 9 Feedyard	Bento ft.  agoon  FROM  Was (D)construit	tt., From tt., F	n	ft. to ft	of the toological of the toolo	f
GRAVEL  GRAVEL  GROUT MATER frout Intervals: F  What is the nearest  1 Septic tank 2 Sewer lines  Watertight s  Direction from well?  FROM TO  7  7  7  CONTRACTOR'  completed on (mo/o	PACK INTERVALS  IAL: 1 Neat  From. 3  Source of possible  4 Late  5 Cess  Sewer lines 6 See  7  Sand 4  SOR LANDOWNE  lay/year)9	From From From From  cement ft. to contamination oral lines s pool page pit  LITHOLOG  Sand  Grave  Grave  ER'S CERTIFIC.	### ATION: This water well	Bento ft.  agoon  FROM  Was ①Construction	tt., From tt., F	n	ft. to ft	oft. to	f
GRAVEL  GRAVEL  GRAVEL  GROUT MATER  Grout Intervals: Found is the nearest  1 Septic tank 2 Sewer lines  Watertight so  Direction from well?  FROM TO  7  7  7  CONTRACTOR'  completed on (mo/o	PACK INTERVALS  IAL: 1 Neat  From. 3  Source of possible  4 Late  5 Cess  Sewer lines 6 See  5 S  F-M  Sand 4  SOR LANDOWNE  lay/year)  Stor's License No.	From From From From  cement ft. to contamination oral lines s pool page pit  LITHOLOG  Sand  Grave  Grave  ER'S CERTIFIC.	### ATION: This water well	Bento ft.  agoon  FROM  Was ①Construction	tt., From tt., F	non model of the control of the cont	ft. to ft	oft. to	fi