


1 LOCATION OF WATER WELL: County: Rice		Fraction NE ¼ SW ¼ NW ¼	Section Number 14	Township Number T 21 S	Range Number R 9 E/W
---	--	----------------------------	----------------------	---------------------------	-------------------------

Distance and direction from nearest town or city street address of well if located within city?
 Approximately 1½ miles east and 1½ miles south of Alden

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	Jomax Construction Co., Inc. South Hwy 281 Great Bend, KS 67530	Temporary Permit Board of Agriculture, Division of Water Resources Application Number: 980276
---	---	---

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: 30 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 3 ft. below land surface measured on mo/day/yr 11/19/98 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft.

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 0 in. to ft. Dia			Threaded
Casing height above land surface All casing was pulled out			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From 999 ft. to 999 ft.		
GRAVEL PACK INTERVALS:	From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other Sand and clay
Grout Intervals:	From ft. to ft.	From ft. to ft.	From ft. to ft.	From 30 ft. to 0 ft.
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	None known

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		PLUGGING NOTE: This well was used to lower the water level from 3 feet to approximately 12 feet below surface. After a new 24" pipeline was installed under an existing large pipeline, the pump was removed. The well abandonment as follows:			
		1. Well was chlorinated.			
		2. The entire 16" x 30' long casing was pulled out. Because of the high water table and very loose gravel, the original 24" borehole collapsed immediately to approximately 4 feet below ground.			
		3. The large bell hole was filled with topsoil from 4 feet to surface.			
		Summary: The geological condition after the casing was removed remains the same as pre-existing conditon.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-19-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 11-28-98 under the business name of Clarke Well & Equipment, Inc. by (signature) <i>Clarke Well & Equipment</i>
--	---

OFFICE USE ONLY