

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Rice</u>	<u>SE 1/4 SE 1/4 NE 1/4</u>	<u>15</u>	T <u>21</u> S	R <u>9</u> <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?
1 mi. E, 1 1/2 S of Alden

2 WATER WELL OWNER: <u>ANR Pipeline Co.</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>500 Renaissance Ctr</u>	Application Number: <u>8,654</u>
City, State, ZIP Code: <u>Detroit, MI 48243</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>50</u> ft. ELEVATION:
--	---

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL 6 ft. below land surface measured on mo/day/yr 4-6-00

Pump test data: Well water was 11 ft. after 1 1/2 hours pumping 25 gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter: 8 in. to 5.3 ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes. No. X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued. <u>X</u> Clamped.
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>PVC</u>	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>5</u> in. to <u>4.0</u> ft., Dia in. to ft., Dia in. to ft.			11 Other (specify)
Casing height above land surface: <u>12</u> in., weight <u>2.29</u> lbs./ft. Wall thickness or gauge No. <u>16a</u>			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
		7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>40</u> ft. to <u>50</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>23</u> ft. to <u>27</u> ft., From ft. to ft.			
From <u>32</u> ft. to <u>53</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>3</u> ft. to <u>23</u> ft., From <u>27</u> ft. to <u>32</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	<u>16</u> Other (specify below)
			13 Insecticide storage	<u>Gas line</u>
Direction from well? <u>NE</u>				How many feet? <u>40</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>6</u>	<u>Sandy Br Silt</u>			
<u>6</u>	<u>27</u>	<u>Sand + Gravel</u>			
<u>27</u>	<u>33</u>	<u>Br Clay</u>			
<u>33</u>	<u>50</u>	<u>Sand + Gravel</u>			
<u>50</u>	<u>53</u>	<u>Br Clay</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4-6-00</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. <u>447</u> . This Water Well Record was completed on (mo/day/yr) <u>5-1-00</u> under the business name of <u>Miller Drilling</u> by (signature) <u>E. Miller</u>	
---	--