			ATER WELL REC	CORD For	m WWC-5	KSA	32a-1212	2 ID N	0		
1 LOCA County:	TION OF WA	TER WELL:	Fraction SE 1/4	NE ¼	NE 1	1/4	Section 13	Number	Township		Range Number 9W E/W
	and direction t		wn or city street	address of we	ell if located	within cit	y?				
			y Axtell		Ste	rlina	Dril	ling C	ompany	Axtel	1 B-1
2		# 2105	13+h Rd.			0. Bo		_			
City, State	, ZIP Code	: Steri	ing, KS 6/		Pra	att, K	s. 67	124	Board of Application	Agriculture, I on Number:	Division of Water Resource
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF (COMPLETED	WELL	61		ft. ELEVA	TION: .unkn.ov	vn	
AN "X" I	N SECTION N	BOX:									12/10/04 ft.
	I	1									oumping gpr
		1									oumping gpr
-	-NW	- NE	WELL WATER) AS: 5 I	Public wa	ter supp	ly	8 Air condition	ing 11 İ	njection well
		; <u> </u>	1 Domestic		lot <u>6 (</u>	Oil field v	vater sur	pply ,	9 Dewatering	12 (Other (Specify below)
W -	i	 	2 Irrigation	4 Indus	triai / i	Domestic	(lawn &	garden)	10 Monitoring w	ell	
	1	1									
-	-SW -	- SE		al/bacteriologi	cal sample :	submitted	d to Depa				no/day/yrs sample was sub
		!	mitted					W	ater Well Disinfe	cted? Yes	No
	S										
5 TYPE	OF BLANK C	ASING USED:		5 Wrought	iron	8 Co	oncrete t	ile	CASING J	OINTS: Glue	ad Clamped
1 Stee	el	3 RMP (S	R)	6 Asbestos		9 Ot	her (spe	cify below)	Wel	ded
2 PV0	<u> </u>	4 ABS		7 Fiberglas							eaded
Blank casi	ing diameter	5	in. to	41	ft., Dia		ir	n. to	ft., l	Dia	fof
Casing he	ight above la	nd surface	12	in., weig	tht2.x.8	3			lbs./ft. Wall thick	ness or gua	ge No. Sch. 40
TYPE OF	SCREEN OF	R PERFORATIO	N MATERIAL:				PVC	_		sbestos-Cer	
1 Steel 3 Stainles							RMP (S	SR)		11 Other (Specify)	
2 Bra	ss	4 Galvani	zed Steel	6 Concrete	tile	g	ABS		12 N	ione used (o	pen hole)
SCREEN	OR PERFOR	RATION OPENII	NGS ARE:			ed wrap			8 Saw cut		11 None (open hole)
1 Cor	ntinuous slot		fill slot			wrapped			9 Drilled hole		
2 Lou	vered shutte	r 4 K	(ey punched		7 Torch						f
SCREEN-	PERFORATE	ED INTERVALS	: From	.41	ft. to	61		ft., From		ft. to)f
	ODAVEL DA	OK INTERVALO	From		ft. to	r	•••••	ft., From		ft. to)f
	GRAVEL PAG	CK INTERVALS)f
			F10111	•••••	11. 10			. It., FIOHI	***************************************	IL W	/
6 GROL	JT MATERIA	L: 1 Nea	it cement	2 Cemer	nt grout	+	Bentonit	е "	4 Other		
Grout Inte	rvals: Fron	n0	ft. to24	1 ft Fi	rom				ft From		ft. tof
1			contamination:						tock pens		Abandoned water well
1 Septic tank 4 Lateral lines			ral lines	7 Pit privy				11 Fuel storage		15.0	Oil well/Gas well
2 Sewer lines 5 Cess pool				8 Sewage lagoon			12 Fertilizer storage		16 Other (specify below)		
3 Wa	tertight sewe	r lines 6 See	•		9 Feedyard			13 Insecticide storage			· · · · · · · · · · · · · · · · · ·
	rom well?		3- 1					How mar	~~~		
FROM	ТО		LITHOLOGIC	CLOG		FROI	vı .	то	·	LUGGING IN	NTERVALS
0	3	top soi					-	-	· ·	2000111011	***************************************
3	21		nd gravel			+	-				
21	34	clay	id graver								
						-	-				
34	61	sanc ar	nd gravel			 					
	-										
						<u> </u>					
						1					
	_										
											<u> </u>
						1					
						ļ					
						1					
7 CONTR	RACTOR'S O	R LANDOWNE	R'S CERTIFICA	TION: This w	ater well wa	as (1) co	nstructed	d. (2) reco	enstructed or (3)) plugged iin	der my jurisdiction and wa
completed	on (mo/day/v	ear)1	2/10/04					and this re	cord is true to the	best of mv k	nowledge and belief. Kansa
			186								
1	ousiness nam	_	y's Water						signature)		of Han I.
INSTRUC	TIONS: Use type						s underline				s to Kansas Department of Health
and Enviro	onment, Bureau o		ection, 1000 SW Jacks								ER and retain one for your