KOLAR Document ID: 1483368

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App.			Well ID		
				Fraction				Township Numb		ige Number	
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						mal Addmass	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
2 WELL Business:	UWNEK; L	ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:					uncetion non						
Address:			a	770							
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	ude:			(decimal degrees)	
SECTION BOX: Depth(s)			h(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) □ I				Longitude:				
N	ſ					Datum: 🗌 WGS 84 📋 NAD 83 📄 NAD 27					
		WELL'S STATIC WATER LEVEL: below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:				
X '	NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
		Pump test data: Well water was ft. after hours pumping gpm									
W	E	after				□ Online Mapper:					
SW	SE	Well water was ft. after pour bours pumping gpm									
		Estimated Y		01		6 Elevation:ft. Ground Level TOC					
5		Bore Hole Diameter: in. to				Source	Source: Land Survey GPS Topographic Mag				
	1 mile in. to ft. □ Other										
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
						11. Test Hole: well ID					
🗌 Lawn &		7. 🗌 Aquifer Recharge: well ID					Cased Uncased Geotechnical			1	
	Livestock 8. Monitoring: well ID										
2. ☐ Irrigation	2. Irrigation 9. Environmental Remediation: we 3. Feedlot Air Sparge										
4. □ Industrial □ Recovery											
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic 7	Fank		Lateral Line	es 🗌 Pit Privy		Livestock P	ens		ide Storage		
Sewer I			Cess Pool	Sewage La		Fuel Storage			oned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well? ft.											
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		G INTERVALS	
						ļ					
					Notes:	1	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
under my ju	irisdiction ar	tractor's Lie	eted on (n	no-day-year) 	ater Well Po	this record	18 tru	ted on (mo day w	y knowled	ge and belief.	
				This wa							
		Send one copy to	WATER W	ELL OWNER and retain	one for your re-	cords. Fee of \$	5.00 f	or each constructed we	11.		
-		nd Environment ks.gov/waterwel		Water, Geology Section, 10	000 SW Jackson	n St., Suite 420	, Tope	ka, Kansas 66612-136		e 785-296-3565. SA 82a-1212	
visit us at n	<u>p.//www.kane</u>	ks.guv/waterWel	<u>i/muex.ntml</u>						L'	n 02a-1212	