			WATE	R WELL RECORD	Form WWC-5	KSA 82a				
		TER WELL:	Fraction	_		tion Number	Township Nu		Range Number	
County:	Harve	ey	NE 1/4	NE 1/4 N	W 1/4		T 22	S	R 1 E/	
Distance a	and direction		•	ddress of well if locate						
				12 E 0	+ Hes.	5704	· · · · ·			
2 WATE	R WELL OW	/NER: し	vayne	Kimball						
RR#, St.	Address, Bo	x#: 9	201 EPP	ng lane			Board of A	griculture,	Division of Water Resources	
City, State	, ZIP Code	: /	Yalstead	e, KS 670	56		Application	Number:	W17/W17	
3 LOCAT	E WELL'S L	OCATION WITH	DEPTH OF C	OMPLETED WELL	. 32	ft. ELEVA	TION:			
☐ AN "X"	IN SECTION	N DOV	→						3 _.	
ī [WELL'S STATIC WATER LEVEL									
1	1		Pum	p test data: Well wate	erwas 2 .	1 ft. a	fter	hours pu	ımping gpm	
'l l	Est. Yield gpm: Well water was ft. after hours pumping									
' 。	Bore Hole Diameter 8 in to 32 ft. and in to									
wie w	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection w									
- I	Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 0						Other (Specify below)			
-	SW	SE	2 Irrigation	4 Industrial						
1 1	-	i j,	Was a chemical/			-			, mo/day/yr sample was sub-	
ľ			mitted				ter Well Disinfecte			
5 TYPE	OF BLANK (CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOI	NTS: Glue	d . Clamped	
1 St		3 RMP (SR	1)	6 Asbestos-Cement					led	
Q)PV	vC	4 ABS		7 Fiberglass				Thre	aded	
Blank casing diameter 5 in. to 2.3 ft., Dia ft., Dia ft.										
Casing height above land surface										
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:	-	⊘ PV	С	10 Asb	estos-cem	ent	
1 St	eel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 Oth	er (specify))	
2 Brass 4 Galvanized steel			6 Concrete tile	crete tile 9 ABS		12 None used (open hole)		pen hole)		
SCREEN	OR PERFOR	RATION OPENING	SS ARE:	5 Gauz	ed wrapped	(8Saw cut		11 None (open hole)	
1 C	ontinuous slo	ot 3 Mil	l slot	6 Wire wrapped			9 Drilled holes			
2 L.c	ouvered shut	ter 4 Ke	y punched	7 Torch						
SCREEN-PERFORATED INTERVALS: From										
			From	ft. to	<u>.</u> . <i></i>	ft., From	m	ft.	to	
	GRAVEL PA	CK INTERVALS:	From	1.8 ft. to	32	ft., Froi	m,	ft. f	toft.	
			From						to ft.	
6 GROU	T MATERIAL	.: 1 Neat ce	ement	2 Cement grout	 Bento					
Grout Intervals: From3ft. toft., Fromft. toft., Fromft.										
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned wa										
1 Septic tank 4 Lateral lines			l lines	7 Pit privy		11 Fuel storage		15 Oil well/Gas well		
2 Se	ewer lines	5 Cess	pool			12 Fertilizer storage		16 Other (specify below)		
3 W	atertight sew	ver lines 6 Seepa	ige pit	9 Feedyard		13 Insecticide storage		open field		
i	from well?					How man	ny feet?	,		
FROM	то		LITHOLOGIC	LOG	FROM	то		UGGING	INTERVALS	
0	12	Br & G	- Clay							
12	22	F-C S	and							
22	28	Sandy s	in Gra	e/						
28	32	Sand.					Builds Miller Talker Transcription			
									A 1 A 1011 - A 1014 -	
									and the same of th	
							The second secon			
									ALLEAN CAMPAIN THE TOTAL	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was @constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was										
completed on (mo/day/year) 4-2.3-96 and this record is true to the best of my knowledge and belief. Kansas										
				This Water W						
	business na		iller Dr			by (signa		m b	2	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department										
	Ooo ty	point p		0-0001 Telephone: 913-296-5		WATER WELL OF	MAISS and antain and fo			