


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Harvey	SE 1/4 SW 1/4 1/4	9	T 22 S	R 1 XXW

Distance and direction from nearest town or city street address of well if located within city?

420 West Lincoln Boulevard, Hesston, Kansas

2 WATER WELL OWNER:	Hay and Forage Industries	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	420 West Lincoln Boulevard	
City, State, ZIP Code :	Hesston, Kansas 67062	40/4004.01 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 10 ft. ELEVATION: N/A
	Depth(s) Groundwater Encountered 1. 10 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 7.51 ft. below land surface measured on mo/day/yr 08/09/90
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 6 in. to 16 ft., and in. to ft.
WELL WATER TO BE USED AS:	5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well C-4	
Was a chemical/bacteriological sample submitted to Department? Yes No X	If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
<u>PVC</u> 4 ABS 7 Fiberglass Threaded X	
Blank casing diameter 2 in. to 10 ft. Dia in. to ft. Dia in. to ft.	
Casing height above land surface Flush in., weight lbs./ft. Wall thickness or gauge No. Sch 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>PVC</u> 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot <u>Mill slot</u> 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 6 ft. to 16 ft. From ft. to ft.	
GRAVEL PACK INTERVALS: From 5 ft. to 16 ft. From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement 2 Cement grout 3 Bentonite 4 Other Volclay Grout
Grout Intervals: From 1 ft. to 4 ft. From ft. to ft. From ft. to ft.	
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy <u>Fuel storage</u> 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? NW	How many feet? 75

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6"	Asphalt	11	14	As Above with Gray Mottling Saturated
6"	5'	Clay Dark Brown Mottled Rd. Brown 5-10% Pebbles <25% Very Fine Sand	14'	16'	Sandy Clay (Weathered Shale) Olive Green, Mottled Brown Calcareous Shale Seams Dry--Brittle Medium to Coarse Sand
5'	7'	As Above Mottled Gray			
7'	9'	Clay--Light Brown Mottled Gray <20% Very Fine Sand			
9'	11'	Clayey Sand Light Brown Mottled Red Brown --Medium to Coarse Sands, Slightly Calcareous Moist			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 08/01/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 471 This Water Well Record was completed on (mo/day/yr) 08/03/90 under the business name of HWS by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.