


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

T R EW sec 1/4 1/4 1/4 No.

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

1 Location of well:	County HARVEY	Township name EMMA	Fraction NE 1/4 - NE 1/4	Section number 16	Town number T-22-S	Range number R-1-W																																	
Distance and direction from nearest town or city:			3 Owner of well: STEVE Neill																																				
Street address of well location if in city: 512 N. Weaver Hesston			Address: 512 N Weaver - Hesston																																				
Locate with "X" in section below: N  W E S 1 Mile			4 Well depth: 3 ft. Date of completion _____ Well diameter 4" in.																																				
			5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary																																				
			6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry yo <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well																																				
			7 Casing: Material PVC Height: above below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. 6" Weight 3.22 lbs./ft. 12 in. to 35 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No _____ in. to _____ ft. depth																																				
			8 Screen: Manufacturer Own slot / Cent-Tee pipe Type PVC Dia. 6" Slot/gauze 1/4" x 8 Length 10' Set between 20 ft. and 30 ft. Fittings: 1/8" - 3/8" Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material _____																																				
2 Type and color of material <table border="1"><thead><tr><th></th><th>From</th><th>To</th></tr></thead><tbody><tr><td>Lean to br clay</td><td>0</td><td>5'</td></tr><tr><td>Brown clay</td><td>5'</td><td>12'</td></tr><tr><td>alkali (soap stone) & clay</td><td>12'</td><td>15'</td></tr><tr><td>Light br clay</td><td>15'</td><td>21'</td></tr><tr><td>Sandy clay</td><td>21'</td><td>25'</td></tr><tr><td>Sandy clay thin layers of</td><td>25'</td><td>29'</td></tr><tr><td>SAND with clay layers</td><td></td><td></td></tr><tr><td>green-red shale</td><td>29'</td><td>30'</td></tr><tr><td>gray shale</td><td>30'</td><td>31'</td></tr><tr><td>Dark Wellington shale</td><td>31'</td><td>33'</td></tr></tbody></table>				From	To	Lean to br clay	0	5'	Brown clay	5'	12'	alkali (soap stone) & clay	12'	15'	Light br clay	15'	21'	Sandy clay	21'	25'	Sandy clay thin layers of	25'	29'	SAND with clay layers			green-red shale	29'	30'	gray shale	30'	31'	Dark Wellington shale	31'	33'	9 Static water level: 15 ft. below land surface Date 7/24/75			
				From	To																																		
			Lean to br clay	0	5'																																		
			Brown clay	5'	12'																																		
			alkali (soap stone) & clay	12'	15'																																		
			Light br clay	15'	21'																																		
			Sandy clay	21'	25'																																		
			Sandy clay thin layers of	25'	29'																																		
			SAND with clay layers																																				
			green-red shale	29'	30'																																		
gray shale	30'	31'																																					
Dark Wellington shale	31'	33'																																					
10 Pumping level below land surfaces: 33 ft. after 1 hrs. pumping 12 g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 10 g.p.m.																																							
11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____																																							
12 Well head completion: <input checked="" type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade																																							
13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> _____ Depth: From 10 ft. to 0 ft.																																							
14 Nearest source of possible contamination: house sewer ft. _____ Direction South Type sewer Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																																							
15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Dempster Model number 50 H HP 1/2 Volts 230 Length of drop pipe 30 ft. capacity 15 g.m.p. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																																							
16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley			17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. PAUL'S INC 115 Business name License No. Address Box 26 Hesston Signed Paul Beall Date 7/24/75 Authorized representative																																				