LOCATION OF WA	TED WELL.		ER WELL RECOR	D Form W	WC-5 KSA 82a			
	IEH WELL:	Fraction NW	. SW .	SE ,	Section Number		Number	Range Number
			74 74		9	T 22	S	R 1 XE/W
istance and direction		-			city?			
Hay & Forage								
WATER WELL OV		-	_	.ity				
R#, St. Address, Bo	× # : 420 ₩	est Lincol	ln Blvd.			Board of	Agriculture, I	Division of Water Resource
ity, State, ZIP Code							on Number:	
LOCATE WELL'S I	OCATION WITH	4 DEPTH OF	COMPLETED WEL	L.1.4	ft. ELEVA	TION:	. .	
AN "X" IN SECTIO								
1		WELL'S STATI	C WATER LEVEL	6.48	ft. below land sur	ace measured of	n mo/dav/vr	2/23/2000
1 1	i '							mping gpm
NW	NE							mping gpm
, i		Bore Hole Diar	neter 8 ir	1 to 14	ft i	and	in	. to
w			TO BE USED AS:			8 Air conditioning		Injection well
· I	1 1 1	1 Domesti					-	Other (Specify below)
sw	SE	2 Irrigation						······
	¥	-						mo/day/yr sample was sub
<u>'</u>		mitted	m bacteriological san	ipie subilitieu		er Well Disinfec		•
TYPE OF BLANK		Tritted	5 Wrought iron					No i Clamped
1 Steel	3 RMP (SF	3 \	6 Asbestos-Cen					
2 PVC		ער			ther (specify below	•		ed
2 PVC	4 ABS	. , Д	7 Fiberglass				Threa	aded. X
lank casing diameter	` ∀	.in. to 	π., Dia		n. to	ft., Dia		in. to ft.
			in., weight					o
YPE OF SCREEN C			,		PVC		sbestos-ceme	
1 Steel	3 Stainless		5 Fiberglass		BRMP (SR)	11 01	her (specify)	
2 Brass	4 Galvaniz		6 Concrete tile		9 ABS	12 No	one used (op	en hole)
CREEN OR PERFO				Sauzed wrapp		8 Saw cut		11 None (open hole)
A SAMUROUS AN			6 /	Wire wrapped		9 Drilled holes		
2 Louvered shut		y punched		Forch cut				
CREEN-PERFORAT	ED INTERVALS:	From 14	! ft.	to 4	ft., Fror	n	ft. t	o
		From <u>.</u> .						o
OBALELE		7 /		10	ft Fror			
GHAVEL PA	CK INTERVALS:	From ±4	<u>1</u>	to 3		"	. ft t	o ft
GHAVEL PA	CK INTERVALS:]	to 3	ft., Fror	n	ft. t	o
· · · · · · · · · · · · · · · · · · ·		From	1	to 3 to		n	ft. to	oft. o ft.
GROUT MATERIA	L: 1 Neat c	From	ftftft	to 3 to	ft., Fron ft., Fron Bentonite 4	n n Other 	ft. tent.	oft. o ft. Onite grout
GROUT MATERIA	L: 1 Neat c	From cement ft. to . 1	ftftft	to 3 to	ft., Fror ft., Fror sentonite 4 ft. to.	n n Other	ft. to ft. to nt. bento	onite groutft.
GROUT MATERIAL Grout Intervals: Fro	L: 1 Neat com. 3	From cement ft. to . 1	2 Cement grout ft., From .	to 3	ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft. ft. to	n	ft. to ft. to nt. bento	onite groutft. onite groutft. onite water well
GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank	L: 1 Neat com. 3	From cement ft. to . 1 contamination:	ft. ft. 2 Cement grout ft., From 7 Pit priv	to 3	## Action 10 From the feature of t	n	ft. to ft. to int. bento 14 Al 15 O	onite groutft. onite groutft. onite well il well/Gas well
GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines	L: 1 Neat comm. 3	From cement ft. to . 1	2 Cement grout ft. 7 Pit priv. 8 Sewage	to3 to 3 if	ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror ft. to. 10 Livest 11 Fuel s	n	ft. to ft. to int. bento 14 A 15 O 16 O	onite grout ft. to ft. ft. to ft. bandoned water well il well/Gas well ther (specify below)
GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev	L: 1 Neat comm. 3	From cement ft. to . 1	ft. ft. 2 Cement grout ft., From 7 Pit priv	to3 to 3 if	ft., Fror ft., F	n	ft. to ft	onite groutft. onite groutft. onite well il well/Gas well
GROUT MATERIAL irout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well?	L: 1 Neat comm. 3	From cement ft. to . 1 contamination: al lines pool age pit	2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL Frout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO	L: 1 Neat com. 3	From cement ft. to . 1	2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya	to3 to 3 if	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL Frout Intervals: Frout In	ource of possible 4 Latera 5 Cess ver lines 6 Seepa South top soil	From cement ft. to . 1 contamination: al lines pool age pit LITHOLOGIO	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL irout Intervals: Fro Vhat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 11.8	ource of possible 4 Latera 5 Cess ver lines 6 Seepa South top soil brown to	From cement ft. to . 1 contamination: al lines pool age pit LITHOLOGIO	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL frout Intervals: Fro /hat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev irrection from well? FROM TO 0 2 2 11.8 11.8	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 2 11.8 11.8 12	ource of possible 4 Latera 5 Cess ver lines 6 Seepa South top soil brown to	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL irout Intervals: Fro /hat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0 2 2 11.8 11.8	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL irout Intervals: Fro /hat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0 2 2 11.8 11.8	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL irout Intervals: Fro /hat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0 2 2 11.8 11.8	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From Intervals:	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From that is the nearest so some some some some some some some s	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From that is the nearest so some some some some some some some s	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From that is the nearest so some some some some some some some s	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From that is the nearest so some some some some some some some s	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to 3 to 3 f	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From 1 Septic tank 2 Sewer lines 3 Watertight sevirection from well? FROM TO 0 2 11.8 11.8 12	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From Intervals:	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL irout Intervals: Fro /hat is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO 0 2 2 11.8 11.8	ource of possible of 4 Latera 5 Cess wer lines 6 Seepa South top soil brown to fine sand	From tement ft. to 1 contamination: al lines pool age pit LITHOLOGIC green clad	2 Cement groutft., From 7 Pit priv 8 Sewage 9 Feedya	to	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL Frout Intervals: Frout Intervals: Frout Intervals: Frout Intervals: Frout Intervals in Septic tank 2 Sewer lines 3 Watertight seven intervals	top soil brown to fine sand green cla	From cement ft. to . 1	t. ft. ft. 2 Cement grout 7 Pit priv. 8 Sewage 9 Feedya C LOG	to	Sentonite 4 ft. to	n	ft. to ft	onite grout fit to ft. conite grout fit to ft. condoned water well fit well/Gas well fither (specify below) VOC plume NTERVALS
GROUT MATERIAL Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 2 2 11.8 11.8 12 12 14 CONTRACTOR'S	top soil brown to fine sand green cla	From cement ft. to . 1 contamination: al lines pool age pit LITHOLOGIO green clad ay	t. ft. ft. 2 Cement grout 7 Pit priv. 8 Sewage 9 Feedya C LOG	to	Sentonite 4 ft. to	n	ft. to ft	onite grout fit to ft. conite grout fit to ft. condoned water well fit well/Gas well fither (specify below) VOC plume NTERVALS
GROUT MATERIAL Frout Intervals: From Intervals and Intervals and Intervals are sent and Int	top soil brown to fine sand green cla	From cement ft. to . 1 contamination: al lines pool age pit LITHOLOGIO green clad ay	t. ft. 2 Cement grout 7 Pit priv. 8 Sewage 9 Feedya C LOG	to	ft., Fror ft., Fror ft., Fror ft., Fror ft., Fror sentonite 4 ft. to	n	ft. to ft	onite grout ft. onite
GROUT MATERIAL rout Intervals: From Intervals and Intervals are sense of the sense	top soil brown to fine sand green cla	From cement ft. to . 1 contamination: al lines pool age pit LITHOLOGIC green clad ay AS CERTIFICAT 778/00 581	ft. ft. 2 Cement grout 1 From 7 Pit prive 8 Sewage 9 Feedya C LOG TION: This water we have the service of	to	ft., Fror ft., F	n	ft. to ft	onite grout
GROUT MATERIAL rout Intervals: From hat is the nearest some some some some some some some some	top soil brown to fine sand green cla	From cement ft. to . 1 contamination: al lines pool age pit LITHOLOGIC green clad ay AS CERTIFICAT 778/00 581	ft. ft. 2 Cement grout 1 From 7 Pit prive 8 Sewage 9 Feedya C LOG TION: This water we have the service of	to	ft., Fror ft., F	n	ft. to ft	onite grout ft. onite