	DW	WATE	ER WELL RECORD	Form WW	C-5 KSA 82a	1212		
1 LOCATION, OF WAT		Fraction			Section Number	Township Nu	mber	Range Number
County: Han	vey		4 SE 1/4 3		9	T 22	s	R / ¥/w
Distance and direction	from rearest to	wn or city street	address of well if loca	ated within cit	y?			,
Hay > 7	onage	tacilis	ly Proper	Ty				
2 WATER WELL OW	NER: Hau	1 Tanad	, ,	σ				
RR#, St. Address, Box		LI TONG	ر ماید			Board of Ag	riculture, Di	vision of Water Resources
City, State, ZIP Code	740	ston K	5 67062			Application	Number:	
,		171			# FIFVA			
AN "X" IN SECTION	BOX:							
	·							
1	- 1							
NW	NE	1	-				•	ping gpm
	1							ping gpm
# w !		Bore Hole Diam	neter/.4in.	to <i>] . J</i>	5 ft., a	and 🗗	sin. :	toft.
¥ "	, ,	WELL WATER	TO BE USED AS:	5 Public v	vater supply	8 Air conditioning	11 lr	jection well
7 1 1		1 Domestic	3 Feedlot	6 Oil field	water supply	9-Dewatering	12 0	ther (Specify below)
sw	>F	2 Irrigation	4 Industrial	7 Lawn ai	nd garden only	Monitoring well	,	
] ^	il							no/day/yr sample was sub-
<u>!</u> ————————————————————————————————————		mitted	, sastonologica, camp	o oubou c		er Well Disinfected		No
EL TYPE OF PLANK C	ACING LICED.	Tillitted	E Wrought iron	9.00				
5 TYPE OF BLANK C			5 Wrought iron		ncrete tile			Clamped
Steel 8	3 RMP (S	5H)	6 Asbestos-Cemer	nt 9 Oti	ner (specify below	<i>(</i>)		
2)PVC 2"	4 ABS	10	7 Fiberglass	.	· · · · · · · · · · · · · · · · · · ·			ed i 🗸
Blank casing diameter	. &	in. to <i>J. Y.</i>	5 ft., Dia •	2 in	. to . -3.9	ft., Dia	in	. to ft.
Casing height above la	ind surface	. <i>0</i>	in., weight	0.601		t. Wall thickness o	r gauge No.	7ch 40
TYPE OF SCREEN OF	R PERFORATIO	ON MATERIAL:		6) vc	10 Asbe	stos-cemen	t
1 Steel	3 Stainles	ss steel	5 Fiberglass	8	RMP (SR)	11 Othe	r (specify) .	
2 Brass	4 Galvani	ized steel	6 Concrete tile		ABS	12 None	used (ope	n hole)
SCREEN OR PERFOR				uzed wrappe	d	8 Saw cut		11 None (open hole)
continuous slo		Mill slot		re wrapped	-	9 Drilled holes		, , , , , , , , , , , , , , , , , , ,
				• •				
2 Louvered shutt		Key punched		rch cut		, , , , , , , , , , , , , , , , , , , ,		
SCREEN-PERFORATE	UINTERVALS			•				
		From						
GRAVEL PAG	CK INTERVALS	: From	3. ゲ ft. to	メラ, 5			ft. to	
		From	ft. to		ft., Fror	77	ft. to	1 1/2 m ft.
6 GROUT MATERIAL		cement	2 Cement grout	3 Be	entonite 4	bthe <i>Cemen</i> z	JBCN.	ionete Gray
Grout Intervals: From	n 23.5.	. ft. to (.)	ft., From	1	ʻt. to	ft., From		ft. to
What is the nearest so	urce of possible	e contamination:			10 Livest	ock pens	14 Aba	andoned water well
1 Septic tank	4 Late	eral lines	7 Pit privy		11 Fuels	storage	15 Oil	well/Gas well
2 Sewer lines	5 Ces	s pool	8 Sewage I	agoon			(6) Oth	er (specify below)
3 Watertight sew		•	9 Feedyard			ticide storage	EXIST	er (specify below)
Direction from well?	S, E	page pit	3 i codyaid			ny feet? \angle 100		
FROM TO	<u> </u>	LITHOLOGIC	LOG	FROM			JGGING IN	TERVALS
0 .8	Par	crete.		1 HOI	- - - 			
	- 1		11-01					
	6/10	19 - DIC	un clay					
12 13.5	Tis	<u>ke sa</u>	ya					
13.5 24	62	een, cg	ay	,	/			
24 33		Terbeda	kd_sand	- cl	ay			
33 34	202	u green	~ clay					
	· · · · · · · · · · · · · · · · · · ·		-					
					 			
7 CONTRACTORS	D I ANDOMÉS	DIG CENTIFICAT	IONI. This		atminted (C)	notrupted as (0) 4		
			ION: Inis water well	was (1) con				r my jurisdiction and was
completed on (mo/day/	year)	الراسية					t of my know	wedge and belief. Kansas
Water Well Contractor's		541.1	This Water				1150	. J.(2,900
under the business nar	ne of Layn	u Weste	m, adu	1. 9 Fe	aujus by (signat	ure) TIMNU	wark	ياري
					1 11 1-0 4	1 1 11 5 0-1-	_	
INSTRUCTIONS: Use typ	pewriter or ball point		FIRMLY and PRINT clearly.			the correct answers. Se	nd top three co	pies to Kansas Department