		WA	ATER WELL RECO	ORD Form	WWC-5	KSA 82a-1	212 ID N	0		_ .,	
LOCATIO	ON OF WA	TER WELL:	Fraction			Sect	ion Number	Township Numb	er	Range Number	
County: Ha	rvey		SW 1/4	SW 1/4_	NW 1/4		14	T 22	S	R 1 X /W	
Distance and	d direction	rom nearest tov	wn or city street a	ddress of well	if located wi	thin city?					
1/2	mile	East of	f Hesston	, KS							
	WELL OW		rosswind		nce Ce	nter					
⊐ RR#, St. Add City, State, Z	TID (0) 1	# : 80	036 N. Ho	over	_			Application Nu	mher	sion of Water Resources	
LOCATE	MELLICIO	CATION WITH	4 DEPTH OF C	OMPLETED W	/ELL	24	ft. ELEVA	TION:			
AN "X" IN	SECTION N		Depth(s) Ground WELL'S STATION Purn Est. Yield1.5	dwater Encour WATER LEVI p test data: 2.0 gpm:	ntered 1 EL 1.4 Well water w Well water w	ft. belo vasvas	ft w land surfac ft.	. 2ee measured on mo/da after	ft. 3 y/yrhours pum hours pum	ft. 1.0./.3./.0.3	
w	1	- <u> </u> E	WELL WATER 1 1 Domestic 2 Irrigation	3 Feedlot 4 Industri	. 6 Oi	ublic water s I field water omestic (law	supply	9 Dewatering	12 Othe	er (Specify below)	
	SW	 - SE 	Was a chemical mitted	I/bacteriologica	al sample su	bmitted to [Department? ` W	Yes No X ; I ater Well Disinfected?	f yes, mo/o Yes X	day/yrs sample was sub No	
TVPEO	E RI ANK (CASING USED:		5 Wrought in	nn	8 Concre	te tile	CASING JOINT	S: Glued .	X Clamped	
1 Steel 3 RMI X2 PVC 4 ABS			SR)	6 Asbestos-Cement 7 Fiberglass		9 Other (specify below)		/) 	Welded Thread	ed	
Blank casin	a diameter	5	in. to	1.4	ft., Dia		in. to	ft., Dia		in. toft	
Casing heig	ht above la	ınd surface	24	in., weigh	t	2.3.7	7	lbs./ft. Wall thickness	or guage I	No	
			ON MATERIAL:			X P∨	<u>C</u>	10 Asbest	tos-Cemen	nt	
1 Steel		3 Stainles	ss Steel	5 Fiberglass			IP (SR)				
2 Brass	S	4 Galvani	zed Steel	6 Concrete t	ile	9 AB	S	12 None i	ısea (open	noie)	
	R PERFO	RATION OPENI X 3_1	INGS ARE: Mill slot		6 Wire w			8 Saw cut 9 Drilled holes		1 None (open hole)	
2 Louv	ered shutte	er 4 k	Key punched		7 Torch						
SCREEN-P	ERFORAT	ED INTERVALS	3: From	.1.4	ft. to	24	ft., From	١	ft. to	f	
			From		ft. to		ft., From	1	ft. to	f	
G	RAVEL PA	CK INTERVALS	S: From	.1.4	ft. to	44	ft., From	·	II. IO	f	
			From		π. το	•••••	π., From	1	11. 10		
6 GROU	T MATERIA	N. 1 No	at cement	2 Cement	arout	X Bent	onite	4 Other			
	role: Ero	. n	# to 14							ft. to	
Grout Inten				11., 110	////			stock pens		andoned water well	
		•	e contamination:	-	Pit privy			•		well/Gas well	
1 Septic tank 4 Lateral lines						11 Fuel storage12 Fertilizer storage		X6 Other (specify below)			
2 Sewer lines3 Watertight sewer lines6 Seepage pit				8 Sewage la			13 Insecticide storage			Pond	
	•		page pit	age pit 9 Feedyard			How many feet? 200				
Direction fro		<u> East</u>							OINIO INITI	EDVALO	
FROM	то		LITHOLOGIC	CLOG		FROM	ТО	PLUG	GING INTE	ERVALS	
0	2	Topsoi	.1								
2	6	Clay,	brown			_,,,					
6	11		fine with	n small	clay						
		layers	<u> </u>							<u></u>	
_11	24	Sand,	fine to m	nedium							
24	26	Shale,	green								
				,							
	·										
	- 1100-1-1										
7	L	L									
∠ CONTR.	ACTOR'S	OR LANDOWN	IER'S CERTIFICA	TION: This wa	ater well wa	s 🔼) constr	ucted, (2) red	constructed, or (3) plug	ged unde	r my jurisdiction and w	
completed of	on (mo/day/	year) 1.0./	/.3./.0.3				and this r	ecord is true to the best	of my kno	wledge and belief. Kans	
Water Well	Contractor	's Licence No	1.38	······································	This Water \	Well Record	was complet	ed on (mo/day/yr)	الريرين المرين	1773	
under the b	usiness na	me of Pet e	erson Irr	igation	, Inc.		by	(signature)	e Ma	lus	
									-	IC B	