WATER WELL RECORD			Form W	WC-5	Division of Water Resources App. No.				
	LOCATION OF WATER WELL: County: Harvey		Fraction SE ¼ SE ¼ NW	/ 1/4 1/4	Section N		Township No. T 22 S	Range Number R 1 □E ☑W	
		Address of Well Location;		Global Po	ositioning	System (GPS) ir			
fr	om nearest t	own or intersection: If at	owner's address, check		Latitude: (in decimal degrees)				
4	4210 N. Hesston Rd.					Longitude: (in decimal degrees)			
1	Newton, KS 67114					Elevation:			
	WATER WELL OWNER: Mark Vogts					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
	RR#, Street Address, Box #: 1795 Arapaho Rd.					GPS unit (Make/Model:)			
	City, State, 2	ID C-1-	idge, KS 67107					c Map, Land Survey	
			ude, NO 07 107		Est. Accu	<u>racy</u> : 🔲 <	3 m, □ 3-5 m, □	5-15 m, \square >15 m	
1	3 LOCATE WELL								
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) 15 ft. (2) ft. (3) ft.								
31	SECTION BOX: Depth(s) Groundwater Encountered (1).15 ft. (2)								
_	Pump test data: Well water was								
	DOT VIELD 20								
$ w ^{-}$	The state of the s								
-	WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well								
.	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
_	Was a chemical/bacteriological sample submitted to Department? Yes V No								
	S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel V PVC Other									
			ned D Welded	Jiner □ Threads		• • • • • • • • • • • • • • • • • • • •	••••		
C	CASING JOINTS: Glued Clamped Welded Threaded ft., Diameter ft., Diameter ft., Diameter ft.								
Ca	Casing height above land surface. 12								
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Torch cut ☐ Drilled noies ☐ None (open noie)									
SCREEN-PERFORATED INTERVALS: From									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well									
FRO		LITHOLOG	IC LOG	FROM				IGGING INTERVALS	
0	3	Top Soil	10 100	1 KOIVI	.0 1		55 (cont.) <u>or</u> 1 LC	COMITO MITTERIALIO	
3	6	Clay							
6	15	Fine Sand							
15	18	Clay							
18	25	Medium Sand							
25	40	Clay							
40	47	Medium Sand							
47	60	Green Shale	-						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .2/24/.10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed on (mo/day/year) 2/25/10									
under the business name of Premier Pump & Well Service Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://	www.kdheks.g	ov/waterwell/index.html.				. 1			
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									