WATE	R WE	LL RECORD Hat V	الاعن Form W	WC-5	D	vivision of Wate	r Resources App. No	_{).}		
1 LOC	1 LOCATION OF WATER WELL? Fraction				Secti	ion Number	Township No.	Range 1		
County: Mepherson Ne45W14NW14				√1/4 1/ 0 1: 1:	4	16	т ДД s		□E Z₩	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here Latitude:										
Longitude:									• ,	
					Elev	Elevation:				
2 WATER WELLOWNER: Coatt Brubacher						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:				
2 WATER WELL OWNER: Scott Brubacher RR#, Street Address, Box #: 6/3 W Knott						GPS unit (Make/Model:)				
City State ZIP Code						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Hesston, Ks 67062 Est. Accuracy: [] <3 m, [] 3-5 m, [] 5-15 m, [] >15 m										
1	H AN "X	"IN 4 DEPTH OF	COMPLETED WEI	L	<u> </u>	fj.	,			
SECT	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 11									
ļ <u></u>	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr.9.—4.—10.									
Pump test data: Well water was									gpm	
W -NW - NE - EST. YIELDS: 70.gpm, Well water was								Br		
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well										
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									· • • • • • • • • • • • • • • • • • • •	
S If yes, mo/day/yr sample was submitted										
1 mile Water well disinfected?										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight CDR26lbs./ft., Wall thickness or gauge No. 12/4										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel Other (Specify)										
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
Louvered shutter Key punched Wire wrapped Asaw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 22 ft., From ft.										
From ft to ft From ft to ft										
From								ft.		
From ft. to ft., From ft. to ft.										
6 GROUT MATERIAL: Neat cement Cement grout Element Other Other ft. to ft. ft. from ft. to ft. ft. ft.										
1		est source of possible conta		11	. 11. 10	16.,	110III	. 11. 10		
	Septic ta	nk 🔲 Lateral lin	es Pit privy	Livestock		Insecticide		er (specify	below)	
				☐ Fuel stora☐ Fertilizer						
		n wellE			_	1 :				
FROM	ТО	LITHOLOG	IC LOG	FROM	ТО		OG (cont.) <u>or</u> PLU			
0	12	Clay								
12	10	Sand fine								
104	10	Sanc Fine								
14	66	BlueShale	2							
	1									
66	0%	Possible We	<i>xter</i>							
60	80	Bray Shale	•							
0	0-0	Gray Shake								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/dzo/year)										
Kansas Water Well Contractor's License No This Water Well Record was completed of (mo/day/year) under the business name of										
INSTRUC	CTIONS:	Use typewriter or ball point pen	. <u>PLEASE PRESS FIRML</u>	Y and PRINT c	learly. Ple	ease fill in blanks	and check the correct	answers.	Send three copies	
(white, blu	ue, pink) t	o Kansas Department of Health	and Environment, Bureau	of Water, Geo	logy Secti	ion, 1000 SW Jac	ckson St., Suite 420,	Γopeka, Ka	nsas 66612-1367.	
		5522. Send one copy to WAT ov/waterwell/index.html.	ER WELL UWNER and	retain one for	your reco	nus. include <u>fee</u>	of \$3.00 for each co	onsuructed '	ven. visit us at	
KSA 82a-1212										