1 LOCATI	ON OF WATE	R WELL:	Fraction	R WELL RECOR	CD FOII		tion Number		hip Number	Rane	ge Number	
			NE 14	SW ½	NE		16	T		R	-	w
			t town or city street ad	dress of well if k	ocated wit	thin city?		· ·		·		
				400 N Lanc	aster A	ve. Hesst	on, KS			****		\Box
	WELL OWNE											
			0 SW Jackson					Board of	Agriculture, Div	ision of Wa	ater Resour	rces
			eka, KS 66612					Applicati	ion Number:			
3 LOCATE	E WELL'S LOO N SECTION E	CATON W	ITH 4 DEPTH OF C	OMBI ETED W	- 11	24	4 515	(ATION)				
Han . "	N SECTION E	OX:										
			Depth(s) Ground	water Encounte	rea 11.5	176	π.	. 2	π.	. 4	4145140	·- Ft.
	N N		WELL'S STATIC									
1 I	-	l i							hours p			
	NW	X E	Est. Yield	Gpm: W	ell water v	vas	F	t. after	Hours	pumping	G	3pm
	į	^;	Bore Hole Diame	ter 8.625	In. to	24	.	ft. and	ir 	n. to		_ Ft.
<u>₽</u> W			E WELL WATER T 1 Domestic	3 Feed lot	. 5 Pui 6 Oil	field water s	uppiy Suggiv	9 Dewa	terina 1	1 injection 2 Other (S	i well Specify bek	ow)
l i	į	į	2 Irrigation						itoring well		W-8	···,
-	sw	SE										
↓	1		Was a chemical/l Submitted	bacteriological s	ample su	omitted to i						as
5 TYPE O	E DI ANIZ SA	NO LICE		E Management la		0 0			nfected? Yes			
	5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded											
1 Ste		_				9 Other	(specify below	w)		led		
2 PV	С	4 AE	BS	7 Fiberglass	}				Thre	aded	X	
Blank casin	a diameter	2	in to 9	Ft., Dia		In 1	0	ft Dia		in to		ft
Casing heig	tht above land	surface	in. to 9 FLUSH	In weight	SC	H 40	I he /ft	Wall thickne	ess or gauge No			-"
TYPE OF S	CREEN OR E	PERFORA	TION MATERIAL:	in., weight		7]	PVC	10	Asbestos-ceme			
1 Ste			ainless steel	5 Fiberglass					Other (specify)			
2 Bra		4 Ga	alvanized steel	6 Concrete t	tile	9	ABS	12	None used (op	en hole)		
SCREEN O	R PERFORA	TION OPE	NINGS ARE:	5				8 Saw cu			(open hole	e)
1 Co	ntinuous slot		3 Mill slot					9 Drilled			` .	
2 Lou	uvered shutter		4 Key punched	7	Torch o	ut		10 Other	(specify)			
SCREEN-P	ERFORATED	INTERVA	LS: From	9 ft. to	0	24	ft. F	rom	ft. 1	0		ft.
									ft. 1			
SAN	ND PACK INT	ERVALS:	From	7 ft. to	0	24	ft. F	rom	ft. 1	0		Ft.
			From		0		ft. F			0		Ft.
6 GROUT	MATERIAI ·	1 Ne	eat cement 2	Cement grout		3 Ben	tonite	4 Other				
	***************************************			Ft.	l	Ft.	tornic	- Outo				
Grout Interv	als From2	0.5	ft. to 1	From3	1	to	7		om	ft. to		_ft.
What is the	nearest sourc	e of possil	ble contamination:				10 Livest	ock pens	14 Ab	andoned w	ater well	
1 Sep	ptic tank		4 Lateral lines	7 F	Pit privy		11 Fuels	torage	15 <u>Oil</u>	well/ Gas	well	
2 Sev	wer lines		5 Cess pool	8 8	Sewage la	agoon	12 Fertiliz	zer storage	16 Ott	ner (specif	y below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								ntamin	ated Site	е		
Direction fro	m well?						How many	feet?				
FROM	то	CODE	LITHOL	OGIC LOG		FROM	то		PLUGGING IN	ITERVALS	;	
0	8		Clay									
8	13		Silt									
13	18		Sandy Clay									
18	23		Sand	<u> </u>								
23 24	24 TD		Weathered Sha									
	TD		End of Borehol	5								
										·		\neg
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (x) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and w												
Completed of	on (mo/day/yr)	11/1	5/10		And th	is record is tr	ue to the be	st of my knowled	lge and be		
Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 12/07/10												
under the business name of Associated Environmental, Inc. By (signature) Bradley (Johnson) INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment (Section 1). Topeka,												
INSTRU Kansas	UCTIONS:. Ple	ase fill in bl Telephone:	lanks and circle the corre 913-296-5545. Send o	ect answers. Sen	d three co	pies to Kansi FR and retair	as Department			reau of Wa	Topeka,	'
1301303		. SISPINIE.	575-200-00-00. Send 0	WITTER WE	TEL OTVINE	varu reidii	. one for your i	COUNTRY.	and for			-+