WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.	
1 LOCATION OF WATER WELL:		Section Number Township No. Range Number	
County: Harrey	1/SW/NW/Ne/		
	on; if unknown, distance & direction	Clobal Positioning System (GPS) information:	
from nearest town or intersection: If	f at owner's address, check here	Latitude: (in decimal degrees)	
		Longitude: (in decimal degrees)	
		Elevation:	
2 WATER WELL OWNER: Ly	nn Frick	Collection Method:	
RR#, Street Address, Box #: City, State, ZIP Code :	7040, 2100	GPS unit (Make/Model:)	
City, State, ZIP Code :	Charles I roll	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
He	sston, Ks 67062	Est. Accuracy:	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH (	OF COMPLETED WELL	<b>3</b> ∽ <sub>f</sub>	
SECTION BOX: Depth(s) Gro	oundwater Encountered (1)	ft. (2)	
N WELL'S ST	ATIC WATER LEVEL34ft	ft. (2)ft. (3)ft. tbelow land surface measured on mo/day/yr.?ft.	
Pt Pt	ımp test data: Well water was	ft. after hours pumping gpm	
NW NE EST. YIELD	Well water was	ft. afterhours pumpinggpm	
W E Bore Hole D	iameter	ft., andft.	
	TER TO BE USED AS: D Public was	ter supply	
swse Domestic	Feedlot Oil field wat	ter supply	
		wn & garden  Monitoring well	
	ical/bacteriological sample submitted to		
	mo/day/yr sample was eubmitted lisinfected?   Yes □ No		
water well o			
5 TYPE OF CASING USED: S			
CASING JOINTS: Gued C	Clamped   Welded   Threaded	d	
Casing diameter	in. Waish Chila	to	
Casing diameter in. to in. to in. to ft., Diameter in. to ft., Diameter in. to ft., Casing height above land surface in., Weight SDR 26.lbs./ft., Wall thickness or gauge No. 214.			
Steel Stainless Steel Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:			
Continuous slot Mill slot	☐ Gauze wrapped ☐ Torch cut	☐ Drilled holes ☐ None (open hole)	
Louvered shutter Key punche	ed Wire wrapped Saw cut	Other (specify)	
Louvered shutter Key punched Wire wrapped Asaw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.  From ft. to ft.			
GRAVEL PACK INTERVALS: From			
	From ft to	ft From Ato A	
6 GROUT MATERIAL: Neat c	ement Cement grout Bento	nite Other	
Grout Intervals: From			
What is the nearest source of possible co		<u>_</u>	
	l lines  Pit privy  Livestock		
Sewer lines Cessport Watertight sewer lines Seepa			
5		from well	
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0 15 Clay			
15 18 Sand			
18 25 Yellow S.	hale		
25 65 Blue She	e/e		
65 61 Crumbly	ed Shale + Wa	uter	
1.00 0 12/			
67 13 BIVEN G	ray Shale		
7 CONTRACTORS OF LANDOWS	(EDIC CEDTIFIC A TION TO 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/near)			
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)			
under the business name of			
INSTRUCTIONS: Use typewriter or ball point	pen. PLEASE PRESS FIRMLY and PRINTICLE	early. Please fill in blanks and check the correct answers. Send three coni	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.			
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.			
KSA 82a-1212			