WATE	R WE	LL RECORD	Form W	WC-5	Di	ivision of Wate	r Resources App. N	Io. L	
1 LOCATION OF WATER WELL:			Fraction			on Number	Township No.	Range Number	
County: Harvey			1/4 SW 1/4 SN	J ¼ SE 1	4	9	T 22 S		
Stree	et/Rural .	Address of Well Location;			al Positioning				
from nearest town or intersection: If at owner's address, check here ∇ .						Global Positioning System (GPS) information: Latitude:			
						Longitude: .97. 4339 (in decimal degrees)			
					Eleva	ation:			
		EVV ONGEN			Datun	n: 🖊 WGS 84	1 , □ NAD 83, □] NAD 27	
2 WATER WELL OWNER: AGCO						Collection Method:			
RR#, Street Address, Box #: 420 West Lincoln Blvd.						☐ GPS unit (Make/Model: Garmin etrex			
City	, State, A	ZIP Code : Hesstor	i, KS 67062		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m				
2 100	ATE WI	21.1			Est. A	ccuracy:	3 m, ∠ 3-5 m, ∟] 5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 19 ft.									
ł	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
Pump test data: Well water wasft. after hours pumping									
FOT VICID									
w NW NE EST. YIELD									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Turbustian Distriction Description of 1 17 M									
S If yes, mo/day/yr sample was submitted									
water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .1 in. to ft., Diameter in. to ft., Diameter ft., Diameter ft. Casing height above land surface in., Weight lbs./ft., Wall thickness or gauge No Sch. 40									
Casir	ig height	above land surface	in., Weight		lbs./f	t., Wall thic	kness or gauge N	oScn. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From19									
			From	ft. to .		. ft. From	ft	to . ft.	
	GRAV	EL PACK INTERVALS:	From 19	ft. to7		ft From .	ft.	to ft	
			From	ft. to		ft., From	ft.	to . ft.	
6 GRO	UT MA	TERIAL: _	nt	Bente	onite [Other			
	ntervals:	From .7 ft. to	2 ft., From	1	ft. to	ft	From	. ft. to ft	
What is	the near	est source of possible conta				,			
Septic tank								ner (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fue					rage Abandoned water well				
		ht sewer lines		Fertilizer		Oil well/gas			
	,	n well			e from we				
FROM	TO	LITHOLOG	IC LOG	FROM	TO	LITHO. LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	14	Silty Clay							
13	19	Sand medium grain							
		·							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .5/20/13 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 710 This Water Well Record was completed on (mo/day/year) 6/14/15									
under the business name of Below Ground Surface, Inc. by (signature)									
INSTRIE	CTIONS	Use ty pewriter or ball point pen.	PLEASE PRESS FIRMI	and PRINT o	learly. Plea	ase fill in blanks	and check the correct	t answers. Send three conies	
(white, bl	ue, pink) t	Kansas Depar tment of Health	and E nvironment, Bureau	of Water, Geo	logy Sectio	n, 1000 SW Jac	kson St., Suite 420,	Topeka, Kansas 66612-1367.	
Telephone	785-296-	5524. Send one copy to WAT.	ER WELL OWNER and r	etain one for	your recor	ds. I nclude <u>fee</u>	of \$5.00 for each co	<u>onstructed</u> well. Vi sit us at	
http://ww	w.kdheks.g	ov/waterwell/index.html.							