## KOLAR Document ID: 1520352

	R WELL R	<b>ECORD</b> Correction		<b>WWC-5</b> ge in Well Use		vision of Wat ources App. 1			Well ID		
			-	Fraction		ction Numb		Township Numbe		ge Number	
1 LOCATION OF WATER WELL:       Fraction         County:       1/4						· · · ·				$\Box E \Box W$	
Business: di Address: Address:						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
<b>3</b> LOCATE WELL WITH "X" IN <b>4</b> DEPTH OF COMPLETED WELL:						ft. <b>5 Latitude</b> :(decimal degrees)					
	ON BOX:	Depth(s) Gr									
	N		2) ft. 3) ft., or 4) □ D WELL'S STATIC WATER LEVEL:								
				-yr)		Source for Latitude/Longitude:					
NW	NE	above la	and surface	-yr)		$(WAAS enabled? \square Yes \square No)$					
		Pump test d			□ Land Survey □ Topographic Map						
W	E	after	hours Well w			Online Mapper:					
SW SE after hours				vater was							
		Estimated Y	ield:		6 Elevation:ft. Ground Level TOC						
	S milo	Bore Hole I			Source:  Land Survey  GPS  Topographic Map Other						
Image:											
1. Domestic:       5. □ Public Water Supply: well ID       10. □ Oil Field Water Supply: lease											
Household 6. Dewatering: h				g: how many wells?	11. Test	11. Test Hole: well ID					
				echarge: well ID			Cased Uncased Geotechnical				
2.  Irrigat	□ Livestock       8. □ Monitoring: well ID         □ Irrigation       9. Environmental Remediation: well II						<ul><li>12. Geothermal: how many bores?</li><li>a) Closed Loop □ Horizontal □ Vertical</li></ul>				
					Extraction						
4. 🗌 Industr	4. Industrial Recovery Injection						13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass       Galvanized Steel       None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:       Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Nearest sou	rce of possibl	le contaminati	on: No	potential source of cor	ntamination w	ithin 200 ft.					
			Lateral Line			Livestock P					
Sewer	Lines ight Sewer Li		Cess Pool Seenage Pit	☐ Sewage La □ Feedyard		Fuel Storage Fertilizer St		☐ Abando ☐ Oil Wel		well	
□ Other (Specify)											
				Distance from w							
10 FROM	TO	I	ITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	3 INTERVALS	
					1						
	ļŢ										
					Notes:						
11 CONT	RACTOR'S	SOR LANDO	WNER'S	S CERTIFICATION	N: This wate	er well was	□ co	onstructed, 🗌 reco	nstructed,	or 🗌 plugged	
under my j	urisdiction a	nd was compl	eted on (n	no-day-year) This W	ater Wall Da	this record	is tru	ted on (mo day ye	y knowledg	ge and belief.	
under the b	ousiness nam	e of									
		Send one copy to	WATER W	ELL OWNER and retain	one for your red	cords. Fee of \$	65.00 f	or each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212											