KOLAR Document ID: 1559090

WATER		ECORD Correction		WWC-5 ge in Well Use		vision of Wa sources App.			Well ID		
		ATER WEL	-	Fraction		ction Numb		Township Numb		ge Number	
County: $\frac{1}{4}$					/4 ¹ /4	$\begin{array}{c c} T & S \\ T & S$					
Business: d Address: Address:						Street or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
City:			State:	ZIP:							
3 LOCATE WITH "X				IPLETED WELL:		it. 5 Lati	tude:	:		(decimal degrees)	
SECTIO		Depth(s) Gr									
N			2) ft. 3) ft., or 4) Di WELL'S STATIC WATER LEVEL:								
			below land surface, measured on (mo-day-yr)					<u>Latitude/Longitude</u> : (unit make/model:			
NW	NE	above la	above land surface, measured on (mo-day-yr).				(WAAS enabled? ☐ Yes ☐ No)				
		Pump test data: Well water was ft.					Land Survey Dopographic Map				
W	E	after	after hours pumping gpi Well water was ft.				Online Mapper:				
SW	after	after hours pumping									
		Estimated Y		6 Elevation:ft. Ground Level TOC							
S		Bore Hole D	Bore Hole Diameter: in. to f				Source: Land Survey GPS Topographic Map				
Image:											
1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
🗌 Househ	6. 🗌	6. Dewatering: how many wells?			11. Test	11. Test Hole: well ID					
Lawn &		7. Aquifer Recharge: well ID				Cased Uncased Geotechnical					
	□ Livestock 8. □ Monitoring: well ID . □ Irrigation 9. Environmental Remediation: we										
3. ☐ Feedlot						b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water					
4. 🗌 Industri		Recovery	5				(specify):				
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
Water well disinfected? □ Yes □ No 8 TYPE OF CASING USED: □ Steel □ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded □ Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter ft., Diameter											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel PVC Other (Specify) Brass Galvanized Steel None used (open hole)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft. o ft. o ft. to ft.											
Grout Intervals: From ft. to ft., From ft. to ft. or ft. to ft. ft.											
Nearest sour	ce of possibl	le contaminati	on: No	potential source of co	ntamination w	ithin 200 ft.					
			Lateral Line			Livestock P			ide Storage		
	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well										
□ Other (Specify)											
				Distance from v						<u> </u>	
10 FROM	TO	L	ITHOLOG	GICLOG	FROM	ТО		THO. LOG (cont.) or	PLUGGIN	JINTERVALS	
├					Notes:		1				
├											
11 CONTR	RACTOR'S	OR LAND	WNER'S	S CERTIFICATIO	N: This wat	er well was	□ co	onstructed, 🗌 reco	nstructed,	or plugged	
under my ju Kansas Wat	risdiction a er Well Cou	nd was compl	eted on (n	no-day-year) 	ater Well Pe	this record	18 tru	ue to the best of my	y knowledg	ge and belief.	
under the bu	isiness nam	e of								·····	
		Send one copy to	WATER W	ELL OWNER and retain	one for your re	cords. Fee of §	\$5.00 f	for each constructed we	11.		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212											

