WATER WELL RECORD	Form '	WWC-5	Division of Wate	r Resources App. No).	
1 LOCATION OF WATER V	VELL: Fraction		Section Number	Township No.	Range Number	
County: Reno	1/4 SW 1/4 /	VW 1/4 SW 1/4	34		R 10 □E 🗷W	
Street/Rural Address of Well	Global Positioning	System (GPS) in	formation:			
from nearest town or intersection: If at owner's address, check here \square .			Latitude: (in decimal degrees)			
1/4 N of 4	, 30 th Ave + Sylv	Ave + Sylvia Rd		Longitude: (in decimal degrees) Elevation:		
			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Leon Miller			Collection Method:			
RR#, Street Address, Box #:	2406 N Brown	N Brownlee Rd		GPS unit (Make/Model:)		
City, State, ZIP Code :	Sylvia, Ks 67.	a, Ks 67581		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
Est. A				3 m, 🔲 3-5 m, 🔲	5-15 m, ∐ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL						
SECTION BOX: Depth(s) Groundwater Encountered (1)						
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr3.7/2						
Pump test data: Well water was 2 1/						
EST. YIELDgpm. Well water was						
W Bore Hole Diameter 2.2 in. to 4.3 ft., and						
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)						
Irrigation Industrial Domestic-lawn & garden Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected? ☑ Yes ☐ No						
5 TYPE OF CASING USED: Steel X PVC Other						
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded						
Casing diameter in. to						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot						
Louvered shutter Key punched Wire wrapped X Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From 32 ft. to 22 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)						
Sewer lines						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well	<i>E</i>	Distance	from well 10.9			
The state of the s	ITHOLOGIC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0 10 F San						
	- Clay				***	
	Sm Bravel					
25 43 F-M Sa.	nd					
					(
7 CONTRACTOR'S OR LANDOWNED'S CERTIFICATION. This waster well was Management of the contract o						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No						
under the business name of Miller Drilling by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Departme	nt of Health and Environment, Bure	au of Water, Geol	ogy Section, 1000 SW Jac	kson St., Suite 420, 7	Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one co		nd retain one for	your records. Include fee	of \$5.00 for each <u>cc</u>	onstructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212						
NOM 028-1212						