WATER WELL RECORD			Form WWC-	5	Division of Water	r Resources App. N	0.
1 LOCATION OF WATER WELL:				I	Section Number		Range Number
County: Reno ¼ NE ¼ SW ¼					6	T 22 S	R 10 □E 🗗 W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
4 1/4 South, 8 1/2 West of Alden					Longitude: (in decimal degrees)		
4 1/4 South, 6 1/2 West of Alderi					Elevation:		
2 WATER WELL OWNER: Stan Christiansen					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: Stan Christiansen RR#, Street Address, Box #: 640 NE 190					Collection Method: GPS unit (Make/Model:)		
71 O 710 O. 1				Ks. 67545 Digital Map/Photo, Topographic Map, Land So			c Map. \(\sum \) Land Survey
		11005011	, NS. 07343		Est. Accuracy: <a> 	3 m, 🔲 3-5 m, 🔲	5-15 m,
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.							
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 99 ft. Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)						
SEC	N WELL'S STATIC WATER LEVEL13ft. below land surface measured on mo/day/yr7-14-12						
! n	Pump test data: Well water wasft, after hours pumping						
EST. YIELD. N/Agpm. Well water was							ping gpm
W X E Bore Hole Diameter !!! in, tott., andin. tott.							
WELL WATER TO BE USED AS:							
-SW - SE - Domestic							
Was a chemical/bacteriological sample submitted to Department? Yes V No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ✓ Yes □ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5 in to .60 ft., Diameter in to							
Casing height above land surface18							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From 60 ft to 40 ft From ft to ft							
From 35 ft. to 15 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 60 ft. to 13 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines □ Cesspool □ Sewage lagoon □ Fuel storage □ Abandoned water well □ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well None							
		n well			m well		••••••••
FROM	TO	LITHOLOG	IC LOG FRO	OM T	O LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS
0	4	Top soil					
4	16 26	Tan clay					
16 26	50	Sand & gravel- med Gray clay					
50	60	Sand & gravel					
A CONTRACTORIS ON LANDOWNIE DISCOUNTE CONTRACTORIS CONTRA							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\big \) reconstructed, or \(\big \) plugged under my jurisdiction and was completed on \((mo/day/year) \).7-25-12 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 8-21-12.							
under the business name of Rosencrantz-Bernis by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy							