WATER WELL RECORD Form WWC-5					Division of Water Resources App. No.			
1 LOC	ATION	OF WATER WELL:	Fraction		Section Number		Range Number	
	ity: Rei		1/4 NE 1/4 NE		29	T 22 S	R 10 □E 🗹 W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning								
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)			
8 South, 7 1/4 West of Alden					Longitude:	Longitude: (in decimal degrees)		
					Elevation:	Elevation:		
2 WATER WELL OWNER: Rick Kirkpatrick						Collection Method:		
RR#, Street Address, Box #: 14 NE 100 Avenue					GPS unit (Make/Model:)			
City, State, ZIP Code : Ellinwood, KS			od, KS 67526		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 IOC/	ATE MAI	TT T		Est. Accuracy:	3 m, ∐ 3-5 m, ∐	5-15 m, <u></u> >15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.								
	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	WELL'S STATIC WATER LEVEL14ft. below land surface measured on mo/day/yr3-28-14							
Pump test data: Well water wasft. after hours pumping gpn							ping gpm	
EST. YIELD. N/Agpm. Well water was							ping gpm	
W Bore Hole Diameter 10								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☑ Other (Specify below)								
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes V No								
S If yes, mo/day/yr sample was submitted								
mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5								
Casing height above land surface in., Weight SDR-26lbs./ft., Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped 🔽 Saw cut ☐ Other (specify)								
SCREEN-PERFORATED INTERVALS: From 60 ft. to 40 ft., From ft. to ft.								
From								
From ft. to ft From ft to 4								
From. ft. to ft., From ft. to ft. 6 GROUT MATERIAL: □ Neat cement □ Cement grout ☑ Bentonite □ Other □ Other								
Grout Intervals: From								
What is t	he near	est source of possible conta	mination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None								
		n well						
FROM	TO	LITHOLOG		FROM			GGING INTERVALS	
	3	Top soil						
	21	Sandy tan clay & fine sa	and					
21	60	Sand & gravel- med	***************************************					
						-		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .3-28-14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 4-14-14								
under the business name of Rosencrantz-Bemis Ent Inc by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy								