WA	TER WE	LL RECORD	Form W	WC-5	Division of Water	Resources App. No	).
		NOF WATER WELL:	Fraction		Section Number		Range Number
	County: Sta		1/4 NE 1/4 SW		33	T 22 S	R 12 □E 🗹 W
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here						
1							
	3/4 South,	1/4 East of Hudson		Longitude: (in decimal degrees) Elevation:			
Datum: WGS 84, NAD						L I NAD 83 II	 NAD 27
1	WATER WELL OWNER: Alma Spangenberg			Collection Method:			
RR#, Street Address, Box #: 967 E. Barton Co. Road GPS unit (Make/Model:						e/Model:	)
	City, State,	ZIP Code : Ellinwoo	od, Ks. 67526		Digital Map/Ph	oto, 🔲 Topographic	Map, Land Survey
2 1	Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m						
,	WITH AN "X	" IN 4 DEPTH OF	ft.				
	SECTION BOX: Depth(s) Groundwater Encountered (1)						
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr. 8-10-12						
	Pump test data: Well water wasft. after hours pumpingg						
	EST. YIELD. N/Agpm. Well water was						
W							
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☑ Other (Specify below)						
	SW -  SE -						
	Was a chemical/bacteriological sample submitted to Department? Yes No						
	S If yes, mo/day/yr sample was submitted						
-	1 mile  Water well disinfected? ✓ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: ♥ Glued □ Clamped □ Welded □ Threaded							
	Casing diameter .5 in. to .60 ft., Diameter in. to ft., Diameter ft., Diameter ft.						
(	Casing height above land surface in., Weight 308-20 lbs./ft., Wall thickness or gauge No.						
TY	TYPE OF SCREEN OR PERFORATION MATERIAL:						
	☐ Steel ☐ Stainless Steel ☑ PVC ☐ Other (Specify)						
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter							
SC	SCREEN-PERFORATED INTERVALS: From 60 ft. to 40 ft., From ft. to ft.						
From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None							
]		m well				· ·····	
FRO	OM TO	LITHOLOG		FROM			GGING INTERVALS
0	3	Top soil					
3	7	Tan clay					
7	21	Sand & gravel					
21	60	Tan clay			-		
24	100	Sand & gravel					
						170	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .819-12 and this record is true to the best of my knowledge and belief							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 8-21-12							
under the business name of Rosencrantz- Bemis by (signature) by (signature) Control of the day of the correct answers. Send three copies Bemis by (signature) Bemis by (signature) Bemis Bemis by (signature) Bemis Be							
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St. Suite 420. Toneka, Kansas 66612-1367							
Telep	hone 785-296-	-5524. Send one copy to WATI	ER WELL OWNER and re	tain one for yo	ur records. I nelude fee	of \$5.00 for each con	structed well. Vi sit us at
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212  Check: X White Conv. Rive Conv. Pink Conv.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							