		WA	TER WELL REC	ORD For	m WWC-5	KSA 82a-	·1212 ID N	0			
	ION OF WAT		Fraction	NT 7	CTI	Se	ction Number	Township Numb		Range Number	
	Stafford		SE 1/4	NW 1/4	SW 1/4		4	т 22	S R	13 K /w	
			vn or city street a		II if located wit	hin city?					
			of Seward Marshall								
		2/24	Forest Ave								
City, State,		Great	Bend, Ks.	67530							
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	OMPLETED	WELL	90	ft. ELEVA	TION:			
	SECTION I		Depth(s) Groun	dwater Enco	untered 1		ft	. 2	ft. 3	ft.	
	N		WELL'S STATIC	WATER LE	vel20	ftbel	ow land surfac	ce measured on mo/da	y/yr7. .8	-05	
	1		Pun Fot Viold	np test data:	Well water w	as24.	ft.	after	hours pumping	gpm	
	-NW	- NE	WELL WATER					aπer 8 Air conditioning	nours pumping 11 Injection		
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below											
w											
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No .X; If yes, mo/day/yrs sample wa										rs sample was sub-	
	mitted Water Well Disinfected? Yes HTH No									•	
5 TYPE (DE BLANK C	ASING USED:		5 Wrought i	iron	8 Concr	oto tilo	CASING IOINT	S: Clued X	Clamped	
1 Stee		3 RMP (SI	R)	6 Asbestos			(specify below			Clamped	
2_PVC		4 ABS `	,	7 Fiberglas	s				Threaded		
Blank casir	ng diameter .	16	in. to	50	ft., Dia		in. to	ft., Dia		. in. to ft.	
Casing hei	ght above lai	nd surface	36	in., weig	_{ht} Sch 40)		lbs./ft. Wall thickness	or guage No		
		PERFORATIO		_		7 PVC 10 Asbestos-Cement					
1 Stee	el	3 Stainless	s Steel						Other (Specify)		
2 Bras	SS	4 Galvaniz	zed Steel	6 Concrete	tile	9 A E	3S	12 None ι	ised (open hole	e)	
SCREEN (OR PERFOR	ATION OPENIN	NGS ARE:		5 Guazed	wrapped		8 Saw cut	11 No	one (open hole)	
1 Con	tinuous slot	3 N	fill slot		6 Wire wr			9 Drilled holes			
2 Louv	vered shutter	4 K	ey punched		7 Torch cu			10 Other (specify)			
SCREEN-	PERFORATE	D INTERVALS:	From	90	ft. to	5Q	ft., From	l	ft. to	ft.	
			From		ft. to,		ft., From	l	ft. to	ft.	
(GRAVEL PAG	CK INTERVALS	: From	.30	ft. to	40	ft., From	l	ft. to	ft.	
			7 10111	••••••••••	11. 10		11., F10111	· · · · · · · · · · · · · · · · · · ·	11. 10		
6 GROU	T MATERIA	L: 1 Nea	t cement	2 Cemen	t grout	3 Ben	itonite	4 Other nole pl	ug		
Grout Inter	vals: From	າ	ft. to	ft., Fr	om			ft., From20			
What is the	e nearest sou	rce of possible	contamination:				10 Lives	tock pens	14 Abandor	ned water well	
1 Septic tank 4 Lateral lines			ral lines	7 Pit privy			11 Fuel storage		15 Oil well/Gas well		
2 Sewer lines 5 Cess po			s pool	8 Sewage lag		oon 12 Fertilize		izer storage			
3 Watertight sewer lines 6 Seepage pit				9 Feedyard			13 Insec	ticide storage	Cabin		
Direction from well? Southwest How many feet? 20											
FROM	,TO		LITHOLOGIC	LOG		FROM	ТО	PLUG	GING INTERVA	ILS	
0	. 6	Fine sand	1								
6	16	Sandy cla									
16	31		l & clay mi	xed							
31	57		evel, & cla								
57	82	Sand & gr									
82	90	Green sha				•					
				-							
						-					
			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
		****	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,								
7 CONTR	ACTOR'S O	D I ANDOWNE	D'S CEDTIEIOA	TION: This	otor well	(1) 221	rusted (0) ====	operation of (0) =1:	and under	iuriodiotian and	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)											
Water Well Contractor's Licence No											
l	usiness nam		encrantz- H		Trater W			(signature)	~ ^ 4		
		1030			Tolearly Please fil	Lin blanks		<u> </u>	a Cle	as Dopartment of Licelih	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your											
records. Fee of \$5.00 for each constructed well.											