

LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County: <u>Stafford</u>		<u>5 1/2</u> <u>1/4</u> <u>SE</u> <u>1/4</u>	<u>12</u>	<u>T 22</u> <u>S</u>	<u>R 13</u> <u>1/4</u>
Distance and direction from nearest town or city? <u>4E, 25 + 3/4E</u>			Street address of well if located within city?		
WATER WELL OWNER: <u>Stawson Drilling</u>					
Box # <u>Box 1131</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: <u>Great Bend, KS 67530</u>			Application Number: <u>780-335</u>		
DEPTH OF COMPLETED WELL: <u>80</u> ft. Bore Hole Diameter: <u>9</u> in. to <u>80</u> ft., and <u>80</u> in. to <u>80</u> ft.					
All Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Observation well					
Well's static water level: <u>21</u> ft. below land surface measured on <u>7</u> month <u>9</u> day <u>80</u> year					
Pump Test Data: Well water was <u>NA</u> ft. after <u>NA</u> hours pumping <u>NA</u> gpm Well water was <u>NA</u> ft. after <u>NA</u> hours pumping <u>NA</u> gpm					
TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued ☒ Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
3 RMP (SR)		5 Wrought iron	7 Fiberglass		Threaded
4 ABS		6 Asbestos-Cement			
5 Wrought iron		7 Fiberglass			
6 Asbestos-Cement					
7 Fiberglass					
8 Concrete tile					
9 Other (specify below)					
Casing Joints: Glued ☒ Clamped					
Welded					
Threaded					
Blank casing dia: <u>5</u> in. to <u>60</u> ft., Dia: <u>60</u> in. to <u>60</u> ft., Dia: <u>60</u> in. to <u>60</u> ft.					
Casing height above land surface: <u>1.8</u> in., weight <u>1.8</u> lbs./ft. Wall thickness or gauge No. <u>25.8</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
3 Stainless steel		5 Fiberglass	8 RMP (SR)	11 Other (specify)	12 None used (open hole)
4 Galvanized steel		6 Concrete tile	9 ABS	12 None used (open hole)	
Screen or Perforation Openings Are:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
3 Mill slot		5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
4 Key punched		6 Wire wrapped	9 Drilled holes		
5 Gauzed wrapped		8 Saw cut	11 None (open hole)		
6 Wire wrapped		9 Drilled holes			
7 Torch cut					
8 Saw cut					
9 Drilled holes					
10 Other (specify)					
Screen-Perforation Dia: <u>5</u> in. to <u>80</u> ft., Dia: <u>80</u> in. to <u>80</u> ft., Dia: <u>80</u> in. to <u>80</u> ft.					
Screen-Perforated Intervals: From <u>60</u> ft. to <u>80</u> ft., From <u>80</u> ft. to <u>80</u> ft., From <u>80</u> ft. to <u>80</u> ft.					
Gravel Pack Intervals: From <u>10</u> ft. to <u>80</u> ft., From <u>80</u> ft. to <u>80</u> ft., From <u>80</u> ft. to <u>80</u> ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grouted Intervals: From <u>0</u> ft. to <u>10</u> ft., From <u>10</u> ft. to <u>10</u> ft., From <u>10</u> ft. to <u>10</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
4 Cess pool		7 Sewage lagoon	10 Fuel storage	11 Fertilizer storage	15 Oil well/Gas well
5 Seepage pit		8 Feed yard	12 Insecticide storage	16 Other (specify below)	
6 Pit privy		9 Livestock pens	13 Watertight sewer lines		
Direction from well: <u>SE</u> How many feet: <u>150</u> ? Water Well Disinfected? Yes <u>H.T.H.</u> No					
Was a chemical/bacteriological sample submitted to Department? Yes <u>NA</u> No <u>NA</u> If yes, date sample					
Was submitted <u>NA</u> month <u>NA</u> day <u>NA</u> year: Pump Installed? Yes <u>NA</u> No <u>NA</u>					
Yes: Pump Manufacturer's name <u>NA</u> Model No. <u>NA</u> HP <u>NA</u> Volts <u>NA</u>					
Depth of Pump Intake <u>NA</u> ft. Pumps Capacity rated at <u>NA</u> gal./min.					
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was					
Completed on <u>7</u> month <u>9</u> day <u>80</u> year					
And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>134</u>					
This Water Well Record was completed on <u>7</u> month <u>24</u> day <u>80</u> year under the business					
Name of <u>Rosenkrantz-Bemis</u> by (signature) <u>Lora Dodson</u>					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		LITHOLOGIC LOG		LITHOLOGIC LOG	
		FROM TO LITHOLOGIC LOG <u>0</u> <u>2</u> <u>Sandy top soil</u> <u>2</u> <u>24</u> <u>Clay</u> <u>24</u> <u>32</u> <u>Sandy clay</u> <u>32</u> <u>80</u> <u>good sand & gravel</u>			
ELEVATION:		Depth(s) Groundwater Encountered 1. <u>21</u> ft. 2. <u>NA</u> ft. 3. <u>NA</u> ft. 4. <u>NA</u> ft. (Use a second sheet if needed)			

OFFICE USE ONLY

T

22

R

13

EWD

SEC.

12

5 1/2 1/4 SE 1/4