WATER WE	ELL RECORD	Form WWC-5	Division of Water	Resources App. N	0. 20140256	
	N OF WATER WELL:	Fraction			Range Number	
County: St		1/4 NE 1/4 SW 1/4 NE 1/4	27	T 22 S		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .			Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
1S, 2 1/2W, 3S of Seward, KS			Elevation: (in decimal degrees)			
			Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Lonnie Staub			Collection Method:			
RR#, Street Address, Box #: 1051 NW 50th Ave.			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State,	ZIP Code : St. John	n, KS 67576	Est. Accuracy:	oto, 🔲 Topographi	c Map, ☐ Land Survey	
3 LOCATE W	ELL		Est. Accuracy:	3 III, 3-3 III,	J=13 III,	
WITH AN "	X" IN 4 DEPTH OF (COMPLETED WELL .9.0				
SECTION B	Depth(s) Groundwater Encountered (1).30 ft. (2) ft. (3) ft.					
N	N WELL'S STATIC WATER LEVEL 30ft. below land surface measured on mo/day/yr. 04/07/14					
	Pump test data: Well water was					
NW	NW NE EST. YIELD. 80gpm. Well water was					
W	E Bore Hole Diameter					
SWSE Domestic Feedlot Unifield water supply Dewatering Utner (Specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes No						
s If yes, mo/day/yr sample was submitted						
mile Water well disinfected? ☑ Yes □ No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter .5. in. to .70 ft., Diameter in. to ft., Diameter in. to ft.						
Casing height above land surface12						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
From						
GRAVEL PACK INTERVALS: From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 0 ft. to .23 ft., From						
What is the nearest source of possible contamination:						
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)						
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well Direction from well South ☐ Distance from well .125.						
FROM TO	LITHOLOG			C (comt) on DL I	JGGING INTERVALS	
0 10		IC LOG FROM	TO LITHO. LC	od (cont.) or PLC	OGGING INTERVALS	
10 53	top sand clay		Staub lease	3		
53 90	sand and gravel clay b	ottom	Otado icas			
33 30	Salid alid graver clay b	Ottom	Charter En	eray Inc		
	100			lighway 281		
				d.Ks 67530		
					110	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year) .04/07/14 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 94/15/14						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to						
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-796-5524 Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						

http://www.kdheks.gov/waterwell/index.html

20140258