			WATE	R WELL REC	ORD For	m WWC	-5 KSA 82	2a-1212		
1 LOCATI	ON OF WAT		Fraction			S	ection Numbe	r Township	Number	Range Number
County:	Pawn		NW 1/4	SW 1	4 NW	1/4	4	T	22 s	R 15 x €/W
Distance a	and direction	from nearest town			if located w		,	<u> </u>		1.7 7
6	miles	east of I	arned K	•		•				ĺ
2 WATE	R WELL OW			3.						
_			Standish							
	Address, Bo	1111	_					Board o	of Agriculture, [Division of Water Resources
	, ZIP Code	SEwar	d,Ks. (57577					tion Number:	
J LOCATI	E WELL'S LO IN SECTION	DCATION WITH 4 BOX:	DEPTH OF C	OMPLETED V	VELL	60	ft. ELEV	'ATION:		,
	<u></u>									
† I	i									1099.8
-	- NW	NE	Pump	test data: V	Vell water w	as	ft.	after	hours pu	mping gpm
1 [7	X 1	,	ist. Yield na	agpm: V	Vell water w	as	ft.	after	hours pu	mping gpm
* w	1		lore Hole Diame	ter9	in. to	60		and	in.	. toft.
₹ "	1		VELL WATER T	O BE USED A	AS: 5 F	ublic wa	ter supply	8 Air condition	ing 11	Injection well
7	514	!	1 Domestic	3 Feed	lot 6 C	oil field w	ater supply	9 Dewatering	12	Other (Specify below)
i 1	·- SW	SE	2 Irrigation	4 Indus	trial 7 L	awn and	garden only	10 Monitoring v		ve. stock
1 1	- 1	i I Iv	Vas a chemical/b	acteriological						mo/day/yr sample was sub-
1	<u> </u>		nitted	a o to o . o g . o a .	oup.o oub.			ater Well Disinfe		_ ' ' '
5 TVDE	DE BLANK C	ASING USED:	Integra	C Manualla in		0.0				
				5 Wrought in			rete tile		_	tClamped
1 Ste		3 RMP (SR)		6 Asbestos-			r (specify belo	•		ed
2 <u>P</u> V		4 ABS		7 Fiberglass						aded
Blank casi	ng diameter	ir	n. to . 4, ()	ft., Dia		in. t	o	ft., Dia		in. to ft.
Casing he	ight above la	ind surface	2!	in., weight;	SDR 26.		Ibs	./ft. Wall thicknes	ss or gauge No	o
		R PERFORATION				7 P			Asbestos-ceme	
1 Ste	eel	3 Stainless s	steel	5 Fiberglass		8 ิคั	MP (SR)	11 (Other (specify)	
2 Br	ass	4 Galvanized	i steel	6 Concrete t		9 A			None used (op	
		RATION OPENING		o concrete t	5 Gauzed v		50	8. Saw_cut	worle used (op	<i>'</i>
	ontinuous slo					• •			_	11 None (open hole)
					6 Wire wrap	•		9 Drilled hole		
	uvered shutt		punched		7 Torch cut			10 Other (spe	cify)	
SCREEN-I	PERFORATE	ED INTERVALS:								o
										o
(GRAVEL PA	CK INTERVALS:	From €	5Ω	ft. to	2.0	ft., Fr	om	ft. to	o
			From		ft. to		ft., Fr	om	_ ft. to	o ft.
6 GROUT	MATERIAL	: 1 Neat ce	ment :	2 Cement gro	ut	3 Ben	tonite 4	1 Other	nole plu	ıg
Grout Inter	rvals: Fron	n 2.0 ft	. to	ft., From	m	ft.	to	ft From	<u>.</u>	ft. to ft.
What is th		urce of possible co						stock pens		bandoned water well
	ptic tank	4 Lateral		7 Pit	orivo/		****	I storage		il well/Gas well
	•				vage lagoon			•		
	wer lines	5 Cess p			•			ilizer storage		man (opcomy conom)
	•	er lines 6 Seepag	•	9 Fee	dyard			ecticide storage		
Direction f			eas					any feet?		15'
FROM	ТО		LITHOLOGIC I	<u>.OG</u>		FROM	то		PLUGGING II	
0	3	Top soil								
3	5	Brown cl	.ay							
5	17	Sandy cl	av							
17	58	Sand and								
58	60	Clay	944104							
	00	Clay					1			
					+		†			
· · · · · · · · · · · · · · · · · · ·							1			
	 						-			
	ļ <u>l</u>									
	ļ									
							1			
]						1			
										
							1			
	1									
										ler my jurisdiction and was
										owledge and belief. Kansas
		s License No			Water Well I	Record w	as completed	l on (mo/day/ <u>y</u> r)		-167-98
under the	business nar	me of Rosen	crantz-E	emis			by (sign	ature) 3	edia	Hodson
INSTRU	CTIONS: Use ty	pewriter or ball point per	n. PLEASE PRESS FI	RMLY and PRINT	clearly. Please f	ill in blanks	, underline or circ	cle the correct answer	s. Send top three	copies to Kansas Department
		ant Burgau of Water To	neka Kansas 66620	-DO01 Telephone:	913-296-5545	Send one t	WATER WELL (DWNER and retain on	e for vour records	