WAT	ER WELL	RECORD	Form WWC-	5	Division of Water Resources; App. No.				
1 LOCATION OF WATER WELL:			Fraction		Section Numb	ber	Township Number		
	unty: Pav	mee	NW 1/4 NW 1/4		32		T 22 S	R 15 <b>X</b> /W	
		ection from nearest town or cit	y street address of we	ell if	Global Positioning Systems (decimal degrees, min. of 4 digits			ees, min. of 4 digits)	
loc	ated within c	ity?			Latitude:				
2	と North,	4½ Fast of Zook			Longitude:				
		LOWNER: ILS land L	LC		Elevation:				
	R#, St. Addre		0 Road		Datum:				
Ci	ty, State, ZIP	Code : Great Bend	, Ks. 67530		Data Collect	tion N	/lethod:		
3 L.C	LOCATE WELL'S 4 DEPTH OF COMPLETED WELL								
	OCATION								
	ITH AN "X"	IN Depth(s) Groundwater	Depth(s) Groundwater Encountered (1)						
	CTION BOX	C: WELL'S STATIC WA	WELL'S STATIC WATER LEVEL35ft. below land surface measured on mo/day/yr11-11-09						
	N		Pump test data: Well water wasft. after hours pumping gpm						
		Est. Yield. N./A. gpm: Well water wasft. after							
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
w	NW  NE -	I Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring wellStock								
	SW SE								
	SW   SE -	Was a chemical/bacteri							
		Sample was submitted							
S									
5 TY	PE OF CASI	NG USED: 5 Wrought I	ron 8 Conc	rete tile	CA	SINC	JOINTS: GluedΣ	Clamped	
		3 RMP (SR) 6 Asbestos-				101110			
2 PVC 4 ABS 7 Fiberglass Threaded.  Blank casing diameter 5 in. to 55 ft., Diameter in. to ft., Diameter in. to ft.  Casing height above land surface 24 in., Weight SDR-26 lbs./ft. Wall thickness or guage No.									
Casing height above land surface 24 in Weight SDR-26 lbs /ft Wall thickness or guage No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
		FORATION OPENINGS ARE		•			` 1	,	
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)									
From									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug									
		RIAL: 1 Neat cement 2 0	Cement grout 3 Ber	itonite	4 Other n	rore.	pring		
	Intervals:	From ft. to		• • • • • • • • • • • • • • • • • • • •	ft. to	It	., From20	π. to⊻π.	
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
	2 Sewer lines			1 Fuel st			andoned water well	below) House	
		sewer lines 6 Seepage pit	9 Feedyard 1	2 Fertiii2	zer Storage	iile	well/gas well	Ilouse	
		South						DVATO	
FRON		LITHOLOGIC	LOG	FROM	TO		PLUGGING INTE	RVALS	
0		Top soil							
2		Brown clay							
8		Sandy clay	1 0 1						
18	29	Fine to small sandy	clay & gravel						
		mixed							
29	73	Small to med sand &	gravel with						
		few clay streaks-gra	avel was tight						
73	75	Clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year)11-12-09 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) .12-1-09									
under	the business:	name of Rosencrantz-	Bemis	by	y (signature)	$\boldsymbol{\alpha}$	ora aleba	,	
		e typewriter or ball point pen. PLEA.	SE PRESS FIRMLY and P						
		Department of Health and Environmen							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.									