|  |  | ·  | ***   | R WELL RECORD  | Form WWC-5      | KSA 82a  | -1212   |  |                                    |
|--|--|--|---|--|-----------------|--|---|--|------------------------------------|
| 1 LOCATI   | ON OF WA   | TER WELL:  |   |  | Sec             | tion Number  | Township I  | Number   | Range Number                       |
| County:  | Pawn   |  |   | SW 1/4 NE  | 1/4             | 29   | Т 22  | S  | R 15 -E/W                          |
|  |  | from nearest tow<br>east of  | -   | address of well if locate  | d within city?  |  |   |  |                                    |
|  |  |  |   | Man a b a m an   | Dec 2 1 1 2     |  |   | -  |                                    |
|  |  |  |   | Mustang  |                 | ıg   | Daniel of   | A and a collection   | N. data - 4 14/44 - 1 D            |
|  |  | ×#: Larne  | ed, Ks.   | Box 1609   |                 |  |   | •  | Division of Water Resources        |
|  | , ZIP Code   |  | 1   | Great Be   | end, Ks.        | 67530  | Application   | n Number:  |                                    |
| AN "X"   | E WELL'S L<br>IN SECTIO  | OCATION WITH<br>N BOX:   |   |  |                 |  |   |  |                                    |
| ı [  | ı  | 1  | WELL'S STATIC   | WATER LEVEL  | 3.0 ft. b       | elow land sun  | face measured o   | n mo/day/yr  | 9-23-83                            |
| 1  | 1  |  |   |  |                 |  |   |  | mping gpm                          |
| -  | NW   | NE   |   |  |                 |  |   |  | mping gpm                          |
| '.   | i  | $ \mathbf{x} $   |   | = -  |                 |  |   | •  | toft.                              |
| Mile<br>A  | <u>'</u>   | E  |   | TO BE USED AS:   |                 |  |   |  | 1                                  |
| ۱ ۷  | , i  |  |   |  |                 |  | 8 Air conditionin   | •  | Injection well                     |
| 1  -   | - SW   | SE   | 1 Domestic  |  |                 |  | =   |  | Other (Specify below)              |
| 1 1  | 1  |  | 2 Irrigation  |  | -               | •  |   |  |                                    |
| ↓ L  |  |  | Was a chemical  | bacteriological sample s   | submitted to De | epartment? Ye  | sNoX  | ; If yes,  | mo/day/yr sample was sub-          |
| <u> </u>   |  |  | mitted  |  |                 | Wat  | ter Well Disinfect  | ed? Yes H'   | TH No                              |
| 5 TYPE (   | OF BLANK (   | CASING USED:   |   | 5 Wrought iron   | 8 Concre        | ete tile   | CASING JO   | DINTS: Glued   | X Clamped                          |
| 1 Ste  | eel  | 3 RMP (SF  | ٦)  | 6 Asbestos-Cement  | 9 Other         | (specify below   | <i>(</i> )  | Welde  | ed                                 |
| 2 PV   | /C   | 4 ABS  |   | 7 Fiberglass   |                 |  |   | Threa  | ded                                |
| Blank casi   | ng diameter  | 5  |   |  |                 |  |   |  | in. to ft.                         |
|  |  |  |   |  |                 |  |   |  | o <b>.</b> .2 5.8                  |
|  |  | R PERFORATION  |   | .iri., weight  |                 |  |   |  |                                    |
|  |  |  |   |  | 7 PV            |  |   | bestos-ceme  |                                    |
| 1 Ste  |  | 3 Stainless  |   |  |                 | IP (SR)  |   |  |                                    |
| 2 Bra  |  | 4 Galvaniz   |   | 6 Concrete tile  | 9 AB            | S  | 12 No   | one used (op-  | en hole)                           |
| SCREEN (   | OR PERFO   | RATION OPENING   | GS ARE:   | 5 Gauzed wrapped   |                 |  | 8 Saw cut   |  | 11 None (open hole)                |
| 1 Co   | entinuous slo  | t 3 Mi   | ill slot  | 6 Wire wrapped   |                 |  | 9 Drilled holes   |  |                                    |
| 2 Lo   | uvered shut  | ter 4 Ke   | ey punched  | 7 Torch  | cut             |  | 10 Other (speci   | fy)  |                                    |
| SCREEN-  | PERFORATI  | ED INTERVALS:  | From 5  | 55 ft. to  | 7.5             | ft Fron  | n   | ft. to   | o                                  |
|  |  |  |   |  |                 |  |   |  | o                                  |
| c.   | RAVEL PA   | CK INTERVALS:  |   |  |                 |  |   |  | o                                  |
| ·  |  | OIL WILLIAM CO.  |   | =  | /. 3)           |  | II  |  |                                    |
|  |  |  | From  | ft to  |                 | # Eron   | <b>m</b>  | f+ +/  |                                    |
| 6 CPOLIT   | LAATEDIAL  | · 1 Noot o   |   | ft. to   |                 |  |   |  | o ft.                              |
|  |  |  | ement   | 2 Cement grout   | 3 Bento         | nite 4   | Other   |  |                                    |
| Grout Inter  | rvals: Fro   | m 0  | ement<br>ft. to <u>1</u> .0   | 2 Cement grout   | 3 Bento         | nite 4 to  | Other   |  | ft. to                             |
| Grout Inter<br>What is the   | rvals: Fro<br>e nearest so   | mo<br>ource of possible  | cement<br>ft. to <u>]</u> 0<br>contamination:   | 2 Cement grout   | 3 Bento         | nite 4 to  | Otherft., Fromock pens  | 14 At  | ft. to                             |
| Grout Inter<br>What is the   | rvals: Fro   | m 0  | cement<br>ft. to <u>]</u> 0<br>contamination:   | 2 Cement grout   | 3 Bento         | nite 4 to  | Otherft., Fromock pens  | 14 At  | ft. to                             |
| Grout Inter<br>What is the<br>1 Se   | rvals: Fro<br>e nearest so   | mo<br>ource of possible  | ement ft. to <u>1</u> .0 contamination: al lines  | 2 Cement grout ft., From   | 3 Bento ft.     | nite 4 to  | Otherft., Fromock pens  | 14 At  | ft. to                             |
| Grout Inter<br>What is the<br>1 Se<br>2 Se   | rvals: From<br>e nearest so<br>eptic tank<br>ewer lines  | mg<br>ource of possible<br>4 Latera  | tement  ft. to1.0  contamination:  al lines  pool   | 2 Cement grout ft., From 7 Pit privy   | 3 Bento ft.     | nite 4 d<br>to<br>10 Livest<br>11 Fuel s<br>12 Fertili | Other ft., From . cock pens   | 14 At<br>15 Ot   | ft. to ft. ft. candoned water well |
| Grout Inter<br>What is the<br>1 Se<br>2 Se   | rvals: From e nearest so ptic tank ewer lines atertight sew  | mgource of possible 4 Latera 5 Cess  | tement  ft. to1.0  contamination:  al lines  pool   | 2 Cement grout  7 Pit privy 8 Sewage lage  | 3 Bento ft.     | nite 4 d<br>to<br>10 Livest<br>11 Fuel s<br>12 Fertili | Other   | 14 At<br>15 Ot   | ther (specify below)               |
| Grout Inter<br>What is the<br>1 Se<br>2 Se<br>3 Wa   | rvals: From e nearest so ptic tank ewer lines atertight sew  | mgource of possible 4 Latera 5 Cess  | tement  ft. to1.0  contamination:  al lines  pool  age pit  | Z. Cement grout     Sewage lage     Feedyard   | 3 Bento ft.     | nite 4 de to   | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f   | rvals: From the properties of  | m0<br>purce of possible<br>4 Latera<br>5 Cess<br>ver lines 6 Seepa   | ement ft. to1.0 contamination: al lines pool age pit west LITHOLOGIC                                      | 2 Cement grout 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM  | rvals: From the properties of  | ource of possible 4 Latera 5 Cess er lines 6 Seepa   | ement ft. to1.0 contamination: al lines pool age pit west LITHOLOGIC                                      | 2 Cement grout 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2  | rvals: From the real section of the real secti | ource of possible 4 Latera 5 Cess ver lines 6 Seepa Top soil   | ement ft. to 1.0 contamination: al lines pool age pit west LITHOLOGIC                                     | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard   | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2  | rvals: From the real section of the real secti | ource of possible 4 Latera 5 Cess ver lines 6 Seepa Top soil   | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17   | rvals: From the properties of  | ource of possible 4 Latera 5 Cess For lines 6 Seepa  Top soil Clay Sand and  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC                                       | 2 Cement grout ft., From 7 Pit privy 8 Sewage lage 9 Feedyard  | 3 Bento         | nite 4 to  | Other   | 14 At<br>15 Oi<br>16 Oi  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 1.7 7.0  | rvals: From the invals invals invals invals invals invals inverse invals | Top soil Clay Sand and Clay  | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC  gravel                               | 2 Cement groutft., From 7 Pit privy 8 Sewage lage 9 Feedyard LOG   | 3 Bento ft.     | nite 4 to  | Other   | 14 At 15 Oi 16 Or 18 O LITHOLOG  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17 70  | rvals: From e nearest some price tank swer lines atertight sew rom well?  TO  2  17  70  75  | TOP SOIL Clay Sand and Clay DR LANDOWNER   | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC  gravel                               | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard  LOG  | 3 Bento ft.     | nite 4 to  | Other   | 14 At 15 Or 16 Or  | if to                              |
| Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM Q 2 17 70   | rvals: From e nearest some price tank swer lines atertight sew rom well?  TO  2  17  70  75  | TOP SOIL Clay Sand and Clay DR LANDOWNER   | ement ft. to10 contamination: al lines pool age pit west LITHOLOGIC  gravel                               | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard  LOG  | 3 Bento ft.     | nite 4 to  | Other   | 14 At 15 Or 16 Or  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 1.7 7.0  | rvals: From e nearest some price tank swer lines atertight sew rom well?  TO  2  1.7  7.0  7.5  RACTOR'S Con (mo/day.)   | Top soil Clay Sand and Clay  OR LANDOWNEF  | ement ft. to1.0 contamination: al lines pool age pit west LITHOLOGIC  Gravel                              | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard  LOG  | 3 Bento ft.     | nite 4 to  | Other  ft., From .  cock pens storage zer storage dicide storage ny feet? | 14 At 15 Or 16 Or  | if to                              |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 17 70  7 CONTF completed Water Well                                | rvals: From e nearest some price tank swer lines atertight sew rom well?  TO  2  17  70  75  RACTOR'S Contractor's Contrac | DR LANDOWNEF   | ement ft. to 1.0 contamination: al lines pool age pit west LITHOLOGIC  Gravel  R'S CERTIFICAT 9-23-83 134 | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard  LOG  ION: This water well w This Water W   | 3 Bento ft.     | nite 4 to  | Other   | 14 At 15 Or 16 Or  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction f FROM 0 2 1.7 7.0  7 CONTF completed Water Well                              | rvals: From e nearest some price tank swer lines atertight sew rom well?  TO  2  17  70  75  RACTOR'S Contractor's Contrac | DR LANDOWNEF   | ement ft. to 1.0 contamination: al lines pool age pit west LITHOLOGIC  Gravel  R'S CERTIFICAT 9-23-83 134 | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard  LOG  ION: This water well w This Water W   | 3 Bento ft.     | nite 4 to  | Other   | 14 At 15 Or 16 Or  | ft. to                             |
| Grout Inter What is the 1 Se 2 Se 3 Wa Direction of FROM Q 2 17 70  7 CONTF completed Water Well under the INSTRUC three copie | rvals: From the result of the  | DR LANDOWNEF  year)  Clay  Clay  Clay  Sand and  Clay  Clay  School Clay  Clay | ement ft. to  | 2 Cement grout  7 Pit privy 8 Sewage lage 9 Feedyard  LOG  ION: This water well water This Water | 3 Bento ft.     | nite 4 to  | Other   | plugged und est of my known in the control of the c | ift. to                            |